




		Cyl.		mm	cm³		Comp. Ratio ε	kW	PS	Pos
D 0846 HM 42 U	D (AN)	6	108 x 128	7030	2	18:1	118	160	10	
DCi 11 E + J01 Euro 3	D (LA)	6	123 x 153	11122	4	17:1	272	370	17	
DXi 7 240 Euro 4	D (LA)	6	108 x 130	7146	4	18:1	177	240	11	
DXi 7 280 Euro 4	D (LA)	6	108 x 130	7146	4	18:1	206	280	11	
DXi 7 320 Euro 4	D (LA)	6	108 x 130	7146	4	18:1	235	320	11	
M 420	D (AN)	4	120 x 140	6333	2	16,5:1	88	120	12	
M 420 X ...	D (AN)	4	120 x 130	5880	2	16:1			12	
M 520	D (AN)	5	120 x 140	7917	2	16,5:1	110	150	12	
M 620	D (AN)	6	120 x 140	9500	2	16,5:1	132	180	12	
M 635.40	D (AN)	6	135 x 140	12024	2		177-224	240-306	18	
MD 420.30 B	D (AN)	4	120 x 130	5880	2	17:1			12	
MD 420.306	D (AN)	4	120 x 130	5880	2		88	120	12	
MID 06.20.30	D (AN)	6	120 x 130	8820	2	17:1	141	192	13	
MID 06.20.30 G	D (AN)	6	120 x 130	8820	2	17:1	141	192	13	
MID 620.30	D (AN)	6	120 x 130	8820	2	17:1	135-158	184-215	13	
MIDR 04.02.26 A/4 Euro 2	D (LA)	4	102 x 126	4118	2	17,5:1	100	136	9	
MIDR 04.02.26 B/4 Euro 2	D (LA)	4	102 x 126	4118	2	17,5:1	110	150	9	
MIDR 06.02.26 Euro 0	D (LA)	6	102 x 126	6177	2	17,5:1	159	216	9	
MIDR 06.02.26 D Euro 1	D (LA)	6	102 x 126	6177	2	17,5:1	159-166	216-226	9	
MIDR 06.02.26 DU	D (AN)	6	102 x 126	6177	2		110-166	150-226	9	
MIDR 06.02.26 H	D (LA)	6	102 x 126	6177	2	18:1	144	196	9	
MIDR 06.02.26 Q	D (AN)	6	102 x 126	6177	2		137	186	9	
MIDR 06.02.26 S Euro 1	D (LA)	6	102 x 126	6177	2	17,5:1	166	226	9	
MIDR 06.02.26 U Euro 1	D (AN)	6	102 x 126	6177	2	17,5:1	110	150	9	
MIDR 06.02.26 U/4 Euro 2	D (AN)	6	102 x 126	6177	2		110	150	9	
MIDR 06.02.26 V Euro 2	D (LA)	6	102 x 126	6177	2	18:1	129	175	9	
MIDR 06.02.26 V/4 Euro 2	D (LA)	6	102 x 126	6177	2	18:1	132	180	9	
MIDR 06.02.26 V/41 Euro 2	D (LA)	6	102 x 126	6177	2	18:1	132	180	9	
MIDR 06.02.26 W Euro 1	D (LA)	6	102 x 126	6177	2	17,5:1	151	205	9	
MIDR 06.02.26 W/4 Euro 2	D (LA)	6	102 x 126	6177	2	17,5:1	154	209	9	
MIDR 06.02.26 X Euro 1	D (LA)	6	102 x 126	6177	2	18:1	166	226	9	
MIDR 06.02.26 Y	D (AN)	6	102 x 126	6177	2		184	250	9	
MIDR 06.02.26 Y41 Euro 2	D (LA)	6	102 x 126	6177	2	18:1	184	250	9	
MIDR 06.20.30	D (LA)	6	120 x 130	8820	2	15:1	194	264	16	
MIDR 06.20.30 A	D (LA)	6	120 x 145	9839	2	17:1	190	258	15	
MIDR 06.20.45	D (LA)	6	120 x 145	9839	2		188-249	298-338	15	
MIDR 06.20.45 A/2	D (LA)	6	120 x 145	9839	2	17:1	202-206	275-280	15	
MIDR 06.20.45 B/3 Euro 1	D (LA)	6	120 x 145	9839	2	18:1	195	265	15	
MIDR 06.20.45 DD	D (LA)	6	120 x 145	9839	2	18:1	222	302	15	
MIDR 06.20.45 D/3 Euro 1	D (LA)	6	120 x 145	9839	2	18:1	222	302	15	
MIDR 06.20.45 D/41 Euro 2	D (LA)	6	120 x 145	9839	2	18:1	219	298	15	
MIDR 06.20.45 E Euro 1	D (LA)	6	120 x 145	9839	2	18:1	236-249	321-339	15	
MIDR 06.20.45 E/2 Euro 1	D (LA)	6	120 x 145	9839	2	18:1	249	339	15	
MIDR 06.20.45 E/41 Euro 2	D (LA)	6	120 x 145	9839	2	18:1	249	338	15	
MIDR 06.20.45 H	D (LA)	6	120 x 145	9839	2		240	326	15	
MIDR 06.20.45 M41 Euro 2	D (LA)	6	120 x 145	9839	2	17:1	250	340	15	
MIDR 06.23.56 A/41 Euro 2	D (LA)	6	123 x 156	11122	2	17:1	280	381	17	
MIDR 06.23.56 B/41 Euro 2	D (LA)	6	123 x 156	11122	2	17:1	288	392	17	
MIDR 06.35.40	D (LA)	6	135 x 140	12024	2	15:1	226	307	19	
MIDR 06.35.40 C	D (LA)	6	135 x 140	12024	2		224-226	305-307	19	
MIDR 06.35.40 G	D (LA)	6	135 x 140	12024	2	15:1	243-259	330-352	21	
MIDR 06.35.40 H	D (LA)	6	135 x 140	12024	2	16:1	259-276	352-375	21	
MIDR 06.35.40 H2	D (LA)	6	135 x 140	12024	2	16:1	275	374	21	
MIDR 06.35.40 J1 Euro 1	D (LA)	6	135 x 140	12024	2	16,5:1	305-314	415-427	21	
MIDR 06.35.40 J3 Euro 1	D (LA)	6	135 x 140	12024	2	18:1	305	415	21	
MIDR 06.35.40 L1	D (LA)	6	135 x 140	12024	2	16,5:1	283	385	21	
MIDR 06.35.40 L3 Euro 1	D (LA)	6	135 x 140	12024	2	16,5:1	283	385	21	
MIDR 06.35.40 M3 Euro 1	D (LA)	6	135 x 140	12024	2	18:1	235	320	21	
MIDR 06.35.40 N/3 Euro 1	D (LA)	6	135 x 140	12024	2	18:1	283	385	21	
MIDR 06.35.40 P41 Euro 2	D (LA)	6	135 x 140	12024	2		309	420	21	
MIDS 06.20.30	D (A)	6	120 x 130	8820	2		158	215	14	
MIDS 06.20.30 B	D (A)	6	120 x 130	8820	2		159	216	14	
MIDS 06.20.30 D	D (A)	6	120 x 130	8820	2		166	226	14	
MIDS 06.20.30 N	D (A)	6	120 x 130	8820	2	15/17:1	153-169	215-230	14	
MIDS 06.20.45	D (LA)	6	120 x 145	9839	2	17:1	152-169	207-230	15	
MIDS 06.20.45 A2	D (LA)	6	120 x 145	9839	2	17:1	202	275	15	
MIDS 06.20.45 B	D (LA)	6	120 x 145	9839	2	17:1	192-202	261-275	15	
MIDS 06.35.40	D (A)	6	135 x 140	12024	2	15:1	206	280	20	
MIDS 06.35.40 B	D (A)	6	135 x 140	12024	2		225	306	20	



		Cyl.		cm ³		Comp. Ratio ε	kW	PS	Pos
MIHR 06.20.45 A41 Euro 2	D (LA)	6	120 x 145	9839	2	17:1	185	252	15
MIP 06.20.30	D (AN)	6	120 x 130	8820	2	17:1	135-158	184-215	13
MIPR 06.20.45	D (LA)	6	120 x 145	9839	2	17:1	222-265	302-360	15
MIPR 06.20.45 A	D (LA)	6	120 x 145	9839	2		210	286	15
MIPR 06.20.45 B3 Euro 1	D (LA)	6	120 x 145	9839	2	17:1	186-222	252-302	15
MIPR 06.20.45 C3 Euro 1	D (LA)	6	120 x 145	9839	2	17:1	152	207	15
MIPR 06.20.45 E	D (LA)	6	120 x 145	9839	2	17:1	222-265	302-360	15
MIPS 06.20.30	D (AN)	6	120 x 130	8820	2		166	222	14
MIPS 06.20.45	D (LA)	6	120 x 145	9839	2	17:1	137	186	15
MIPS 06.20.45 A	D (LA)	6	120 x 145	9839	2	17:1	129-144	175-196	15
MIPS 06.20.45 B	D (LA)	6	120 x 145	9839	2	17:1	176	239	15
MIPS 06.20.45 C	D (LA)	6	120 x 145	9839	2	17:1	129-144	175-196	15
MIS 06.20.30	D (A)	6	120 x 130	8820	2	15:1	158	215	14
MIV 08.35.08	D (LA)	8	135 x 130	14886	2		239	325	18
MIV 08.35.30	D (LA)	8	135 x 130	14886	2		239	325	18
MIV 08.35.35	D (LA)	8	135 x 130	14886	2		239	325	18
MS 06.35 T	D (LA)	6	135 x 140	12024	2	15:1	119-224	260-306	18
T 4.38	D (A)	4	98,48 x 126,8	3864	2	15,25:1	58-72	79-98	7
T 4.40 Euro 1	D (LA)	4	100 x 127,3	3990	2	16:1	82-88	112-120	8
4.236	D (AN)	4	98,48 x 126,8	3864	2	16:1	48-60	59-80	6
8140.07.2530	D (AN)	4	93 x 92	2499	2	18,5:1	55	75	2
8140.07.2585 Euro 1	D (AN)	4	93 x 92	2499	2	18,5:1	55	75	2
8140.21.200	D (A)	4	93 x 90	2445	2	18:1	68	92	2
8140.21.235	D (A)	4	93 x 90	2445	2	18:1	68	92	2
8140.23.2585 Euro 2	D (LA)	4	94,4 x 100	2798	2	18,5:1	76	103	3
8140.27.2582	D (A)	4	93 x 92	2499	2	18,5:1	68-78	92-106	2
8140.43C.2586 Euro 2	D (LA)	4	94,4 x 100	2798	2	19:1	78	106	4
8140.43S.2585 Euro 3	D (LA)	4	94,4 x 100	2798	2	18,5:1	92	125	5
8140.43.2585 Euro 2	D (LA)	4	94,4 x 100	2798	2	18,5:1	90	122	3
8140.47.2530 Euro 1	D (LA)	4	93 x 92	2499	2	18,5:1	85	116	2
8140.47.2585 Euro 1	D (LA)	4	93 x 92	2499	2	18,5:1	85	116	2
8140.47.2590 Euro 1	D (LA)	4	93 x 92	2499	2	18,5:1	85	116	2
8140.61.235	D (AN)	4	93 x 90	2445	2	21:1	53	72	1
8140.67.2585 Euro 2	D (LA)	4	93 x 92	2499	2	18,5:1	60	82	2



INDEX

RENAULT TRUCKS (RVI)





			Pos				Pos
Series 228	1977 → 1987	MIDS 06.20.30 N	D 14	FR 1	10.1992 → 12.1996	MIDR 06.20.45 D/3 D	15
Series 228	1977 → 1987	MIS 06.20.30	D 14	FR 1	1995 →	MIPR 06.20.45 D	15
Series 230	1977 → 1987	MIDS 06.20.30 N	D 14	G 190		MID 06.20.30 D	13
Series 230	1977 → 1987	MIS 06.20.30	D 14	G 190		MIP 06.20.30 D	13
Series 231	1977 → 1987	MIDS 06.20.30 N	D 14	G 200	11.1983 → 02.1990	MIDS 06.20.30 N D	14
Series 231	1977 → 1987	MIS 06.20.30	D 14	G 200	05.1990 → 03.1993	MIDR 06.02.26 H D	9
Series 235	1977 → 1987	MIDS 06.20.30 N	D 14	G 200	05.1990 → 06.1993	MIDR 06.02.26 Q D	9
Series 235	1977 → 1987	MIS 06.20.30	D 14	G 200	06.1991 →	MIDR 06.02.26 DU D	9
Series 250	01.2000 →	MIDR 06.02.26 Y	D 9	G 210	11.1983 → 02.1990	MIDS 06.20.30 N D	14
Series 305	1979 →	MIDR 06.35.40	D 19	G 210	05.1992 → 10.1996	MIDR 06.02.26 W D	9
Series 310	1979 →	MIDR 06.35.40	D 19	G 220	10.1989 → 02.1990	MIDR 06.02.26 D D	9
Series 350	09.1979 →	4.236	D 6	G 230	11.1983 → 02.1990	MIDS 06.20.30 N D	14
Series 380	09.1979 →	4.236	D 6	G 230	01.1990 → 10.1996	MIDR 06.02.26 D D	9
Series 440	09.1979 →	4.236	D 6	G 230	01.1990 → 10.1996	MIDR 06.02.26 X D	9
Series 450	09.1979 →	4.236	D 6	G 260	01.1982 → 12.1989	MIDR 06.20.45 A/2 D	15
Series 480	09.1979 →	4.236	D 6	G 260	10.1982 → 05.1990	MIDS 06.20.45 B D	15
Series 500	09.1979 →	4.236	D 6	G 270	11.1992 → 10.1996	MIDR 06.20.45 B/3 D	15
Series 530	09.1979 →	4.236	D 6	G 270	11.1992 →	MIDR 06.20.45 D	15
Series 550	09.1979 →	4.236	D 6	G 280	10.1982 → 06.1993	MIDR 06.20.45 A/2 D	15
Series 560	09.1979 →	4.236	D 6	G 280	06.1985 → 06.1993	MIDS 06.20.45 B D	15
Series 950	09.1974 → 09.1979	MID 06.20.30	D 13	G 280	09.1991 → 10.1996	MIDR 06.20.45 B/3 D	15
Series 950	01.1976 → 09.1979	MIDS 06.20.30 D	14	G 290	11.1985 → 12.1989	MIDR 06.20.45 D	15
Series 950	1977 → 1987	MIDS 06.20.30 N	D 14	G 290	1995 →	MIPR 06.20.45 D	15
Series 950	1977 → 1987	MIS 06.20.30	D 14	G 300	01.1990 →	MIDR 06.20.45 D	15
Agora Citybus	02.1996 →	MIDR 06.20.45	D 15	G 300	09.1992 → 10.1996	MIDR 06.20.45 D/3 D	15
Ares 340	04.1998 →	MIDR 06.20.45	D 15	G 300	1995 →	MIPR 06.20.45 D	15
		M41		G 300	02.1996 → 06.1997	MIDR 06.20.45 D	15
Ares 380	06.2000 →	MIDR 06.23.56 D	17			D/41	
		A/41		G 320	05.1988 → 05.1990	MIDR 06.20.45 H D	15
B 70	01.1983 → 12.1990	8140.61.235	D 1	G 320	1995 →	MIPR 06.20.45 D	15
B 80	08.1990 → 06.1994	8140.07.2530	D 2	G 330	02.1990 → 03.1993	MIDR 06.20.45 E/2 D	15
B 80	07.1994 → 06.1999	8140.07.2585	D 2	G 330	02.1990 → 03.1993	MIDR 06.20.45 H D	15
B 80	07.1994 → 06.1999	8140.67.2585	D 2	G 330	02.1990 → 10.1996	MIDR 06.20.45 DD D	15
B 90	01.1986 → 07.1996	8140.21.235	D 2	G 330	09.1991 → 03.1993	MIDR 06.20.45 E D	15
B 90	01.1986 → 07.1996	8140.27.2582	D 2	G 340	01.1990 → 10.1992	MIDR 06.20.45 D	15
B 90	04.1986 → 09.1990	8140.21.200	D 2	G 340	01.1990 → 03.1993	MIDR 06.20.45 E D	15
B 110	06.1996 → 06.1999	8140.23.2585	D 3	G 340	02.1996 → 06.1997	MIDR 06.20.45 D	15
B 120	10.1991 → 07.1996	8140.47.2530	D 2			E/41	
B 120	10.1991 → 06.2001	8140.43.2585	D 3	GAK 65	1965 → 1977	M 420 X ... D	12
B 120	07.1994 → 07.1996	8140.47.2585	D 2	GAK 65	1965 → 1977	MD 420.30 B D	12
B 120	07.1994 → 07.1996	8140.47.2590	D 2	GB 191	06.1980 → 12.1984	MID 06.20.30 D	13
C 190	09.1974 →	MID 06.20.30	D 13	GB 231	1978 →	MIDS 06.20.30 N D	14
C 190	09.1974 →	MIP 06.20.30	D 13	GB 231	06.1980 → 12.1984	MIDS 06.20.30 D	14
C 210	12.1983 → 05.1991	MIDS 06.20.30 N	D 14	GBK-6	1960 → 1970	M 420 D	12
C 230	05.1990 → 10.1998	MIDR 06.02.26 D	D 9	GBH 280	1974 → 1983	MS 06.35 T D	18
C 230	05.1990 → 10.1998	MIDR 06.02.26 X	D 9	GBH 280	04.1985 → 10.1992	MIDS 06.35.40 D	20
C 260	10.1982 → 05.1991	MIDS 06.20.45 B	D 15	GBH 320	10.1992 → 06.1996	MIDR 06.35.40 M3 D	21
C 280	07.1992 → 03.1993	MIDS 06.20.45 B	D 15	GC 190	09.1974 → 09.1979	MID 06.20.30 D	13
C 290	1995 →	MIPR 06.20.45	D 15	GC 191	06.1980 → 12.1984	MID 06.20.30 D	13
C 300	09.1992 → 10.1998	MIDR 06.20.45 D/3 D	D 15	GC 230	01.1976 → 09.1979	MIDS 06.20.30 D	14
C 300	09.1992 →	MIDR 06.20.45 D	D 15	GC 231	06.1980 → 12.1985	MIDS 06.20.30 D	14
C 300	09.1992 →	MIDR 06.20.45 A/2 D	D 15	GC 231	06.1980 → 12.1985	MIDS 06.20.30 N D	14
C 340	07.1990 → 03.1993	MIDR 06.20.45 E/2 D	D 15	GCK-10	1960 → 1976	M 620 D	12
C 340	07.1990 → 10.1998	MIDR 06.20.45 E	D 15	GF 191	06.1980 → 12.1984	MID 06.20.30 D	13
CBH 320	10.1992 → 10.1998	MIDR 06.35.40 M3 D	21	GF 230	01.1976 → 09.1979	MIDS 06.20.30 D	14
CBH 340	04.1988 → 10.1992	MIDR 06.35.40 G	D 21	GF 231	06.1980 → 12.1984	MIDS 06.20.30 D	14
CBH 350	05.1990 → 01.1993	MIDR 06.35.40 G	D 21	GF 231	06.1980 → 12.1984	MIDS 06.20.30 N D	14
CBH 380	01.1990 → 10.1992	MIDR 06.35.40 H	D 21	GFC 231	06.1980 → 12.1984	MIDS 06.20.30 D	14
CBH 385	10.1992 → 10.1998	MIDR 06.35.40 N/3 D	21	GLC 8	1962 → 1976	M 520 D	12
CCH 300	12.1990 → 12.1992	MIDR 06.20.45 D/3 D	15	GLR 190	09.1978 → 06.1991	MID 06.20.30 G D	13
CLM 320	10.1992 → 10.1998	MIDR 06.35.40 M3 D	21	GLR 210	12.1983 → 06.1990	MIDS 06.20.30 N D	14
CLM 340	02.1988 → 10.1991	MIDR 06.35.40 G	D 21	GLR 230	1978 → 06.1991	MIDS 06.20.30 N D	14
CLM 350	04.1991 → 10.1992	MIDR 06.35.40 G	D 21	GLR 230	06.1980 → 06.1991	MIDS 06.20.30 B D	14
CLM 380	05.1991 → 10.1992	MIDR 06.35.40 H2 D	21	GR 190		MID 06.20.30 D	13
CLM 385	10.1992 → 10.1998	MIDR 06.35.40 N/3 D	21	GR 190		MIP 06.20.30 D	13
CLR 220	05.1986 → 05.1991	MIDS 06.20.30 N	D 14	GR 191	06.1980 → 12.1984	MID 06.20.30 D	13
CLR 230	10.1990 → 10.1998	MIDR 06.02.26 D	D 9	GR 230	01.1976 → 09.1979	MIDS 06.20.30 D	14
DG 290	09.1986 → 11.1988	MIDR 06.20.45	D 15	GR 231	06.1980 → 12.1984	MIDS 06.20.30 D	14
FR 1	04.1987 → 12.1996	MIDS 06.20.45 A2 D	15	GR 320	09.1973 → 09.1979	MIV 08.35.30 D	18

R



INDEX





RENAULT TRUCKS (RVI)

				Pos					Pos
GRH 235	1977 → 12.1984	MIDS 06.20.30 N	D	14	PR 12	1978 → 03.1986	MIDS 06.20.30 N	D	14
GRH 235	06.1980 → 12.1984	MIDS 06.20.30 D	D	14	PR 12	05.1980 → 03.1986	MIDS 06.20.30	D	14
Iliade	10.1996 → 09.2001	MIDR 06.20.45	D	15	PR 14	1975 → 1987	MID 620.30	D	13
		M41			PR 14	1977 → 1987	MIS 06.20.30	D	14
Iliade	10.1996 → 09.2001	MIDR 06.23.56	D	17	PR 14	01.1977 → 06.1980	MIDS 06.20.30 N	D	14
		A/41			PR 14	01.1977 → 06.1980	MIP 06.20.30	D	13
Kerax 300	06.1997 → 12.2002	MIDR 06.20.45	D	15	PR 14	06.1980 → 09.1986	MIDS 06.20.30 D	D	14
		D/41			PR 14	10.1980 → 1987	MIDR 06.20.30 A	D	15
Kerax 300	09.1997 →	MIDR 06.20.45	D	15	PR 14	1981 → 1986	MIDR 06.20.30	D	16
Kerax 340	06.1997 → 12.2002	MIDR 06.20.45	D	15	PR 100	1975 → 1987	MID 620.30	D	13
		E/41			PR 100	06.1980 → 12.1984	MIP 06.20.30	D	13
Kerax 340	06.1997 →	MIDR 06.20.45	D	15	PR 100	10.1982 → 12.1984	MIPS 06.20.30	D	14
Kerax 370	01.2001 → 04.2006	DCi 11 E + J01	D	17	PR 100	10.1992 → 05.1995	MIPR 06.20.45 B3	D	15
Kerax 385	02.1998 → 12.2002	MIDR 06.23.56	D	17	PR 100	10.1992 → 05.1995	MIPR 06.20.45 C3	D	15
		A/41			PR 100	1995 → 05.1995	MIPR 06.20.45	D	15
Kerax 400	09.1998 → 12.2002	MIDR 06.23.56	D	17	PR 112	02.1996 →	MIPR 06.20.45	D	15
		B/41			PR 118	02.1996 →	MIPR 06.20.45	D	15
Lander 240	03.2005 →	DXi 7 240	D	11	PR 180	03.1983 → 12.1989	MIPS 06.20.30	D	14
Lander 280	03.2005 →	DXi 7 280	D	11	PR 180	06.1984 → 12.1989	MIDS 06.20.45	D	15
Lander 320	03.2005 →	DXi 7 320	D	11	PR 180	06.1984 → 06.1992	MIPS 06.20.45	D	15
Lander 370		DCi 11 E + J01	D	17	PR 180	06.1984 → 06.1992	MIPS 06.20.45 A	D	15
M 150	11.1992 → 09.1998	MIDR 06.02.26 U	D	9	PR 180	06.1984 → 06.1992	MIPS 06.20.45 C	D	15
M 180	1992 →	MIDR 06.02.26 DU	D	9	PR 180	06.1984 → 05.1994	MIPS 06.20.45 B	D	15
M 200		MIDR 06.02.26 DU	D	9	PR 180	07.1989 → 10.1992	MIPR 06.20.45 A	D	15
M 230	05.1989 → 01.2000	MIDR 06.02.26 Y	D	9	PR 180	06.1991 →	MIDR 06.20.45	D	15
M 230	05.1992 → 10.1996	MIDR 06.02.26 X	D	9	PR 180	06.1991 →	MIDR 06.20.45 A/2	D	15
M 230	05.1992 → 01.2000	MIDR 06.02.26 D	D	9	PR 180	10.1992 → 05.1994	MIPR 06.20.45 B3	D	15
M 230	05.1992 → 01.2000	MIDR 06.02.26 S	D	9	PR 770	1975 → 1987	MID 620.30	D	13
M 250	05.1996 → 01.2000	MIDR 06.02.26 Y	D	9	PR 770	1975 → 1987	MIP 06.20.30	D	13
Magnum AE 380	09.1990 → 01.1992	MIDR 06.35.40 H	D	21	PR 950	1975 → 1987	MID 620.30	D	13
Magnum AE 385	02.1992 → 10.1996	MIDR 06.35.40 L1	D	21	PR 950	1975 → 1987	MIP 06.20.30	D	13
Magnum AE 385	02.1992 → 10.1996	MIDR 06.35.40 N/3	D	21	Premium 210	04.1996 → 09.2001	MIDR 06.02.26	D	9
Magnum AE 420	1992 → 06.1996	MIDR 06.35.40 J1	D	21			W/4		
Magnum AE 420	10.1992 → 12.1996	MIDR 06.35.40 J3	D	21	Premium 210	04.1996 →	MIDR 06.02.26	D	9
Magnum AE 420	04.1996 → 01.1997	MIDR 06.35.40	D	21	Premium 240	03.2005 →	DXi 7 240	D	11
		P41			Premium 250	04.1996 → 09.2001	MIDR 06.02.26	D	9
							Y41		
Mascott 110	01.1999 → 06.2004	8140.43C.2586	D	4	Premium 280	03.2005 →	DXi 7 280	D	11
Mascott 130	01.1999 → 06.2004	8140.43S.2585	D	5	Premium 300	02.1996 → 09.2001	MIDR 06.20.45	D	15
Maxter 300	02.1996 →	MIDR 06.20.45	D	15			D/41		
Maxter 340	02.1996 →	MIDR 06.20.45	D	15	Premium 300	04.1996 →	MIDR 06.20.45	D	15
Midliner M 150	11.1992 → 12.2000	MIDR 06.02.26 U/4	D	9	Premium 320	03.2005 →	DXi 7 320	D	11
Midliner M 180	11.1992 → 01.2000	MIDR 06.02.26 V	D	9	Premium 340	04.1996 → 03.2001	MIDR 06.20.45	D	15
Midliner M 180	11.1992 → 01.2000	MIDR 06.02.26 V/4	D	9			E/41		
Midliner M 200	06.1989 → 06.1993	MIDR 06.02.26 H	D	9	Premium 340	04.1996 →	MIDR 06.20.45	D	15
Midliner M 200	06.1989 → 06.1993	MIDR 06.02.26 Q	D	9	Premium 370	01.2000 → 04.2006	DCi 11 E + J01	D	17
Midliner M 210	05.1992 → 12.2000	MIDR 06.02.26 W	D	9	Premium 385	02.1996 → 03.2001	MIDR 06.23.56	D	17
Midliner M 210	05.1992 → 12.2000	MIDR 06.02.26	D	9			A/41		
		W/4			Premium 400	02.1996 → 12.1999	MIDR 06.23.56	D	17
Midliner M 220	12.1998 → 12.2000	MIDR 06.02.26	D	9			A/41		
		W/4			Premium 400	04.1996 → 03.2001	MIDR 06.23.56	D	17
Midliner M 250	05.1996 → 01.2000	MIDR 06.02.26	D	9			B/41		
		Y41			PX 30	1979 →	MIDR 06.35.40	D	19
Midliner ME 210	03.1999 → 12.2001	MIDR 06.02.26	D	9	R TS	01.1993 → 05.1996	MIDR 06.35.40 J3	D	21
		W/4			R 310	10.1980 → 03.1989	MIDR 06.35.40 C	D	19
Midlum 135	02.2000 → 12.2001	MIDR 04.02.26 A/4	D	9	R 312	11.1986 → 06.1993	MIDR 06.20.45	D	15
Midlum 150	02.2000 → 04.2006	MIDR 04.02.26 B/4	D	9	R 312	11.1986 → 06.1993	MIDS 06.20.45	D	15
Midlum 180	02.2000 → 06.2001	MIDR 06.02.26 V/4	D	9	R 330	05.1988 → 05.1991	MIDR 06.20.45 E	D	15
Midlum 210	01.2000 →	MIDR 06.02.26	D	9	R 332	07.1996 → 12.2003	MIHR 06.20.45	D	15
Midlum 210	02.2000 → 06.2001	MIDR 06.02.26	D	9			A41		
		W/4			R 340	03.1986 → 01.1992	MIDR 06.35.40 G	D	21
Midlum 240	03.2005 →	DXi 7 240	D	11	R 340	01.1990 → 12.1992	MIDR 06.20.45 E	D	15
Midlum 250	02.2000 → 06.2001	MIDR 06.02.26	D	9	R 340	02.1990 → 12.1992	MIDR 06.20.45 E/2	D	15
		Y41			R 340	10.1991 →	MIDR 06.20.45	D	15
Midlum 280	03.2005 →	DXi 7 280	D	11	R 350	01.1990 → 01.1992	MIDR 06.35.40 G	D	21
OK 010 K	01.1973 → 09.1979	4.236	D	6	R 357	01.1986 → 10.1996	MIDR 06.35.40 H	D	21
OK 05 K	01.1973 → 09.1979	4.236	D	6	R 365	10.1987 → 05.1990	MIDR 06.35.40 H	D	21
PER 180	08.1982 → 11.1990	MIPS 06.20.30	D	14	R 380	01.1990 → 01.1992	MIDR 06.35.40 H	D	21
PER 180	1995 →	MIPR 06.20.45	D	15	R 385	12.1991 → 08.1995	MIDR 06.35.40 L1	D	21
PR 10	1978 → 09.1987	MIDS 06.20.30 N	D	14	R 385	09.1993 → 10.1996	MIDR 06.35.40 N/3	D	21
PR 10	06.1980 → 09.1987	MIDS 06.20.30	D	14					



INDEX

RENAULT TRUCKS (RVI)

			Pos				Pos
R 420	09.1991 → 03.1993	MIDR 06.35.40 J1 D	21				
R 420	10.1992 → 10.1996	MIDR 06.35.40 J3 D	21				
S 100	01.1986 → 09.1990	T 4.38 D	7				
S 105	01.1983 → 12.1994	D 0846 HM 42 U D	10				
S 120	09.1990 → 11.1992	T 4.40 D	8				
S 135	05.1996 → 01.2000	MIDR 04.02.26 A/4 D	9				
S 150	11.1992 → 01.2000	MIDR 06.02.26 U D	9				
S 150	05.1996 → 01.2000	MIDR 04.02.26 B/4 D	9				
S 150	05.1996 → 01.2000	MIDR 06.02.26 U/4 D	9				
S 180	11.1992 → 01.2000	MIDR 06.02.26 V D	9				
S 180	11.1992 → 01.2000	MIDR 06.02.26 V/4 D	9				
S 210	11.1992 → 01.2000	MIDR 06.02.26 D	9				
S 210	04.1995 → 08.1998	MIDR 06.02.26 W D	9				
S 210	05.1996 → 01.2000	MIDR 06.02.26 D	9				
		W/4					
S 220	09.1987 → 09.1990	MIDR 06.02.26 D	9				
S 220		MIDR 06.02.26 DU D	9				
S 45	06.1980 → 12.1994	D 0846 HM 42 U D	10				
S 53	06.1980 → 12.1994	D 0846 HM 42 U D	10				
TB 191	06.1980 → 12.1984	MID 06.20.30 D	13				
TB 231	06.1980 → 12.1984	MIDS 06.20.30 D	14				
TB 231	06.1980 →	MIDS 06.20.30 N D	14				
TF 230	01.1976 → 09.1979	MIDS 06.20.30 D	14				
TR 320	09.1973 → 09.1979	MIV 08.35.30 D	18				
Tracer	07.1996 →	MIHR 06.20.45 D	15				
		A41					
TRH 320	09.1973 → 09.1979	MIV 08.35.30 D	18				










RENAULT TRUCKS (RVI)

	No.	Type										
1		93										
8140.61.235		01.1983 → 12.1990		D	(AN)	4	2445 cm³	2V	53 kW	(72 PS) 21:1 90,00 mm		
93 378 6..	1	R	G6	CR	3	4	93,00	STD	4	80 00070 4 0 000		
93 378 7..	1	N		MO	2	4						
93 911 6..	1	DSF		CR	4	4,25						
93 911 7..												
2		93										
8140.07.2530		08.1990 → 06.1994		D	(AN)	4	2499 cm³	2V	55 kW	(75 PS) 18,5:1 92,00 mm		
8140.07.2585 Euro 1		07.1994 → 06.1999		D	(AN)	4	2499 cm³	2V	55 kW	(75 PS) 18,5:1 92,00 mm		
8140.21.200		04.1986 → 09.1990		D	(A)	4	2445 cm³	2V	68 kW	(92 PS) 18:1 90,00 mm		
8140.21.235		01.1986 → 07.1996		D	(A)	4	2445 cm³	2V	68 kW	(92 PS) 18:1 90,00 mm		
8140.27.2582		01.1986 → 07.1996		D	(A)	4	2499 cm³	2V	68-78 kW	(92-106 PS) 18,5:1 92,00 mm		
8140.47.2530 Euro 1		10.1991 → 07.1996		D	(LA)	4	2499 cm³	2V	85 kW	(116 PS) 18,5:1 92,00 mm		
8140.47.2585 Euro 1		07.1994 → 07.1996		D	(LA)	4	2499 cm³	2V	85 kW	(116 PS) 18,5:1 92,00 mm		
8140.47.2590 Euro 1		07.1994 → 07.1996		D	(LA)	4	2499 cm³	2V	85 kW	(116 PS) 18,5:1 92,00 mm		
8140.67.2585 Euro 2		07.1994 → 06.1999		D	(LA)	4	2499 cm³	2V	60 kW	(82 PS) 18,5:1 92,00 mm		
90 681 6..	1	T15	G6	CR	3	4	93,00	STD	4	80 00068 4 0 000		
90 681 7..	1	N		MO	2	4	93,40	0,40	4		80 00068 4 0 040	
93 123 6..	1	DSF		CR	3	3,85	93,60	0,60	4			80 00068 4 0 060
93 123 7..												
94 327 6..												
94 327 7..												
94 382 6..												
94 382 7..												
94 383 6..												
94 383 7..												
3		94,4										
8140.23.2585 Euro 2		06.1996 → 06.1999		D	(LA)	4	2798 cm³	2V	76 kW	(103 PS) 18,5:1 100,00 mm		
8140.43.2585 Euro 2		10.1991 → 06.2001		D	(LA)	4	2798 cm³	2V	90 kW	(122 PS) 18,5:1 100,00 mm		
94 526 6..	1	T15	G6	CR	3	4,05	94,40	STD	4	80 00378 4 0 000		
	1	M			2	4,05	94,80	0,40	4		80 00378 4 0 040	
	1	DSF		CR	3	3,9						
94 701 6..	1	T15	G6	MO	2,5	4,05	94,40	STD	4	80 00382 4 1 000		
	1	M			2	4,05						
	1	DSF		CR	2,5	3,55						
4		94,4										
8140.43C.2586 Euro 2		01.1999 → 06.2004		D	(LA)	4	2798 cm³	2V	78 kW	(106 PS) 19:1 100,00 mm		
	1	T15	G6	MO	2,5	4,05	94,40	STD	1	80 00499 1 0 000		
	1	M			2	4,05					80 00499 4 0 000	
	1	DSF		CR	2,5	3,5	94,40	STD	4			
5		94,4										
8140.43S.2585 Euro 3		01.1999 → 06.2004		D	(LA)	4	2798 cm³	2V	92 kW	(125 PS) 18,5:1 100,00 mm		
94 726 6..	1	T15	G6	MO	2,5	4,05	94,40	STD	4	80 00382 4 1 000		
	1	M			2	4,05						
	1	DSF		CR	2,5	3,55						
6		98,48										
4.236		01.1973 →		D	(AN)	4	3864 cm³	2V	48-60 kW	(59-80 PS) 16:1 126,80 mm		
Fortsetzung nächste Seite / continued on next page / suite page suivante / continuación página próxima / Продолжение на следующей странице												



RENAULT TRUCKS (RVI)

	No.	Type									
93 592 6..	1	R	G3	IF	CR	2,385	4	98,48	STD	1	80 00337 1 0 000
	1	M			CR	2,385	4,25				
	1	DSF				4,747	4,25				
99 629 6..	1	R	G6	IF	CR	2,385	3,9	98,48	STD	1	80 00575 1 0 000
	1	R		IF		2,385	3,9				
	1	NM				2,385	3,9				
	1	DSF			CR	6,335	4,1				
	1	D				6,335	3,9				
91 118 6..	1	SM	G3		CR	2,39	4,25	98,48	STD	1	80 00162 1 0 000
	2	M				2,39	4,25				
	1	DSF			CR	6,34	4,25				
	1	S				6,34	4,25				
	1	SM	G3		CR	2,39	4,25	98,48	STD	1	80 00162 1 1 000
	2	M				2,39	4,25				
	2	S				6,34	4,25				

7



98,48

T 4.38 01.1986 → 09.1990 D (A) 4 3864 cm ³ 2V 58-72 kW (79-98 PS) 15,25:1 126,80 mm											
93 801 6..	1	T6	G6		MO	3,16	4,25	98,48	STD	1	80 00320 1 0 000
	1	M			CR	2,385	4,25				
	1	DSF			CR	4,747	4,25				

8



100

T 4.40 Euro 1 09.1990 → 11.1992 D (LA) 4 3990 cm ³ 2V 82-88 kW (112-120 PS) 16:1 127,30 mm											
93 267 6..	1	T6	G6	IW	MO	3,5	4,2	100,00	STD	1	80 00316 1 0 000
	1	NM	G3			2,5	4,2				
	1	DSF			CR	4	4,18				

9









102

MIDR 04.02.26 A/4 Euro 2	05.1996 → 12.2001	D	(LA)	4	4118 cm ³	2V	100 kW	(136 PS)	17,5:1	126,00 mm
MIDR 04.02.26 B/4 Euro 2	05.1996 → 04.2006	D	(LA)	4	4118 cm ³	2V	110 kW	(150 PS)	17,5:1	126,00 mm
MIDR 06.02.26 Euro 0	09.1987 →	D	(LA)	6	6177 cm ³	2V	159 kW	(216 PS)	17,5:1	126,00 mm
MIDR 06.02.26 D Euro 1	10.1989 → 01.2000	D	(LA)	6	6177 cm ³	2V	159-166 kW	(216-226 PS)	17,5:1	126,00 mm
MIDR 06.02.26 DU	06.1991 →	D	(AN)	6	6177 cm ³	2V	110-166 kW	(150-226 PS)		126,00 mm
MIDR 06.02.26 H	06.1989 → 06.1993	D	(LA)	6	6177 cm ³	2V	144 kW	(196 PS)	18:1	126,00 mm
MIDR 06.02.26 Q	06.1989 → 06.1993	D	(AN)	6	6177 cm ³	2V	137 kW	(186 PS)		126,00 mm
MIDR 06.02.26 S Euro 1	05.1992 → 01.2000	D	(LA)	6	6177 cm ³	2V	166 kW	(226 PS)	17,5:1	126,00 mm
MIDR 06.02.26 U Euro 1	11.1992 → 01.2000	D	(AN)	6	6177 cm ³	2V	110 kW	(150 PS)	17,5:1	126,00 mm
MIDR 06.02.26 U/4 Euro 2	11.1992 → 12.2000	D	(AN)	6	6177 cm ³	2V	110 kW	(150 PS)		126,00 mm
MIDR 06.02.26 V Euro 2	11.1992 → 01.2000	D	(LA)	6	6177 cm ³	2V	129 kW	(175 PS)	18:1	126,00 mm
MIDR 06.02.26 V/4 Euro 2	11.1992 → 06.2001	D	(LA)	6	6177 cm ³	2V	132 kW	(180 PS)	18:1	126,00 mm
MIDR 06.02.26 V/41 Euro 2	05.1996 →	D	(LA)	6	6177 cm ³	2V	132 kW	(180 PS)	18:1	126,00 mm
MIDR 06.02.26 W Euro 1	05.1992 → 12.2000	D	(LA)	6	6177 cm ³	2V	151 kW	(205 PS)	17,5:1	126,00 mm
MIDR 06.02.26 W/4 Euro 2	05.1992 → 12.2001	D	(LA)	6	6177 cm ³	2V	154 kW	(209 PS)	17,5:1	126,00 mm
MIDR 06.02.26 X Euro 1	01.1990 → 10.1998	D	(LA)	6	6177 cm ³	2V	166 kW	(226 PS)	18:1	126,00 mm
MIDR 06.02.26 Y	05.1989 →	D	(AN)	6	6177 cm ³	2V	184 kW	(250 PS)		126,00 mm
MIDR 06.02.26 Y41 Euro 2	04.1996 → 09.2001	D	(LA)	6	6177 cm ³	2V	184 kW	(250 PS)	18:1	126,00 mm

Fortsetzung nächste Seite / continued on next page / suite page suivante / continuación página próxima / Продолжение на следующей странице



RENAULT TRUCKS (RVI)

	No.	Type								
94 724 7..	1	T15	G6	MO	3,5	4,45	102,00	STD	1	80 00462 1 0 000
	1	M		CR	2,5	4,45				
	1	DSF	G6	CR	4	4,3				

10 108

D 0846 HM 42 U 06.1980 → 12.1994 D (AN) 6 7030 cm³ 2V 118 kW (160 PS) 18:1 128,00 mm

91 548 6..	1	R	G3	CR	2,5	4,62	108,00	STD	1	80 00145 1 0 000
92 666 6..	1	M			2,5	4,6				
	1	DSF		CR	5	4,7				

11 108

DXi 7 240 Euro 4 03.2005 → D (LA) 6 7146 cm³ 4V 177 kW (240 PS) 18:1 130,00 mm
DXi 7 280 Euro 4 03.2005 → D (LA) 6 7146 cm³ 4V 206 kW (280 PS) 18:1 130,00 mm
DXi 7 320 Euro 4 03.2005 → D (LA) 6 7146 cm³ 4V 235 kW (320 PS) 18:1 130,00 mm

40 305 6..	1	T15	G6	IW	CK	3	4,7	108,00	STD	1	80 00712 1 0 000 <small>NEW</small>
	1	M	G6	IFU		2	4,65				
	1	DSF		CR		3,5	4,25				

12 120

M 420 1960 → 1970 D (AN) 4 6333 cm³ 2V 88 kW (120 PS) 16,5:1 140,00 mm
M 420 X ... 1965 → 1977 D (AN) 4 5880 cm³ 2V 16:1 130,00 mm
M 520 1962 → 1976 D (AN) 5 7917 cm³ 2V 110 kW (150 PS) 16,5:1 140,00 mm
M 620 1960 → 1976 D (AN) 6 9500 cm³ 2V 132 kW (180 PS) 16,5:1 140,00 mm
MD 420.30 B 1965 → 1977 D (AN) 4 5880 cm³ 2V 17:1 130,00 mm
MD 420.306 D (AN) 4 5880 cm³ 2V 88 kW (120 PS) 130,00 mm

90 120 6..	1	T15	G6	CR	3,25	5,1	120,00	STD	1	80 00322 1 0 000
92 502 6..	1	M		IF	3	5,1				
	1	N			3	5,12				
	1	DSF		CR	6	5,25				

13 120

MID 06.20.30 09.1974 → D (AN) 6 8820 cm³ 2V 141 kW (192 PS) 17:1 130,00 mm
MID 06.20.30 G 09.1978 → 06.1991 D (AN) 6 8820 cm³ 2V 141 kW (192 PS) 17:1 130,00 mm
MID 620.30 1975 → 1987 D (AN) 6 8820 cm³ 2V 135-158 kW (184-215 PS) 17:1 130,00 mm
MIP 06.20.30 09.1974 → D (AN) 6 8820 cm³ 2V 135-158 kW (184-215 PS) 17:1 130,00 mm

90 747 7..	1	T15	G6	CR	3,25	5,1	120,00	STD	1	80 00391 1 0 000
	1	R		IF	CR	3	5,1			
	1	DSF		CR	4	4,65				










14 120

MIDS 06.20.30 01.1976 → 09.1987 D (A) 6 8820 cm³ 2V 158 kW (215 PS) 130,00 mm
MIDS 06.20.30 B 06.1980 → 06.1991 D (A) 6 8820 cm³ 2V 159 kW (216 PS) 130,00 mm
MIDS 06.20.30 D 06.1980 → 09.1986 D (A) 6 8820 cm³ 2V 166 kW (226 PS) 130,00 mm
MIDS 06.20.30 N 1977 → D (A) 6 8820 cm³ 2V 153-169 kW (215-230 PS) 15/17:1 130,00 mm
MIPS 06.20.30 08.1982 → 11.1990 D (AN) 6 8820 cm³ 2V 166 kW (222 PS) 130,00 mm
MIS 06.20.30 1977 → 1987 D (A) 6 8820 cm³ 2V 158 kW (215 PS) 15:1 130,00 mm

93 394 6..	1	T15	G6	CR	3,25	5,1	120,00	STD	1	80 00363 1 0 000
93 394 7..	2	M		IF	CR	3	5,12			
	1	DSF		CR	4	4,65				



RENAULT TRUCKS (RVI)

	No.	Type									
15	 120										
MIDR 06.20.30 A	10.1980 → 1987	D	(LA)	6	9839 cm³	2V	190 kW	(258 PS)	17:1	145,00 mm	
MIDR 06.20.45	11.1985 →	D	(LA)	6	9839 cm³	2V	188-249 kW	(298-338 PS)		145,00 mm	
MIDR 06.20.45 A/2	01.1982 →	D	(LA)	6	9839 cm³	2V	202-206 kW	(275-280 PS)	17:1	145,00 mm	
MIDR 06.20.45 B/3	09.1991 → 10.1996	D	(LA)	6	9839 cm³	2V	195 kW	(265 PS)	18:1	145,00 mm	
Euro 1											
MIDR 06.20.45 DD	02.1990 → 10.1996	D	(LA)	6	9839 cm³	2V	222 kW	(302 PS)	18:1	145,00 mm	
MIDR 06.20.45 D/3	12.1990 → 10.1998	D	(LA)	6	9839 cm³	2V	222 kW	(302 PS)	18:1	145,00 mm	
Euro 1											
MIDR 06.20.45 D/41	02.1996 → 12.2002	D	(LA)	6	9839 cm³	2V	219 kW	(298 PS)	18:1	145,00 mm	
Euro 2											
MIDR 06.20.45 E	05.1988 → 10.1998	D	(LA)	6	9839 cm³	2V	236-249 kW	(321-339 PS)	18:1	145,00 mm	
Euro 1											
MIDR 06.20.45 E/2	02.1990 → 03.1993	D	(LA)	6	9839 cm³	2V	249 kW	(339 PS)	18:1	145,00 mm	
Euro 1											
MIDR 06.20.45 E/41	02.1996 → 12.2002	D	(LA)	6	9839 cm³	2V	249 kW	(338 PS)	18:1	145,00 mm	
Euro 2											
MIDR 06.20.45 H	05.1988 → 03.1993	D	(LA)	6	9839 cm³	2V	240 kW	(326 PS)		145,00 mm	
MIDR 06.20.45 M41	10.1996 →	D	(LA)	6	9839 cm³	2V	250 kW	(340 PS)	17:1	145,00 mm	
Euro 2											
MIDS 06.20.45	06.1984 → 06.1993	D	(LA)	6	9839 cm³	2V	152-169 kW	(207-230 PS)	17:1	145,00 mm	
MIDS 06.20.45 A2	04.1987 → 12.1996	D	(LA)	6	9839 cm³	2V	202 kW	(275 PS)	17:1	145,00 mm	
MIDS 06.20.45 B	10.1982 → 06.1993	D	(LA)	6	9839 cm³	2V	192-202 kW	(261-275 PS)	17:1	145,00 mm	
MIHR 06.20.45 A41	07.1996 →	D	(LA)	6	9839 cm³	2V	185 kW	(252 PS)	17:1	145,00 mm	
Euro 2											
MIPR 06.20.45	1995 →	D	(LA)	6	9839 cm³	2V	222-265 kW	(302-360 PS)	17:1	145,00 mm	
MIPR 06.20.45 A	07.1989 → 10.1992	D	(LA)	6	9839 cm³	2V	210 kW	(286 PS)		145,00 mm	
MIPR 06.20.45 B3	10.1992 → 05.1995	D	(LA)	6	9839 cm³	2V	186-222 kW	(252-302 PS)	17:1	145,00 mm	
Euro 1											
MIPR 06.20.45 C3	10.1992 → 05.1995	D	(LA)	6	9839 cm³	2V	152 kW	(207 PS)	17:1	145,00 mm	
Euro 1											
MIPR 06.20.45 E		D	(LA)	6	9839 cm³	2V	222-265 kW	(302-360 PS)	17:1	145,00 mm	
MIPS 06.20.45	06.1984 → 06.1992	D	(LA)	6	9839 cm³	2V	137 kW	(186 PS)	17:1	145,00 mm	
MIPS 06.20.45 A	06.1984 → 06.1992	D	(LA)	6	9839 cm³	2V	129-144 kW	(175-196 PS)	17:1	145,00 mm	
MIPS 06.20.45 B	06.1984 → 05.1994	D	(LA)	6	9839 cm³	2V	176 kW	(239 PS)	17:1	145,00 mm	
MIPS 06.20.45 C	06.1984 → 06.1992	D	(LA)	6	9839 cm³	2V	129-144 kW	(175-196 PS)	17:1	145,00 mm	
91 681 6..	1	T15	G6		MO	3,5	5,1	120,00	STD	1	80 00345 1 0 000
91 681 7..	1	R		IF	CR	3	5,1				
91 683 6..	1	DSF			CR	4	4,65				
91 683 7..											
93 932 6..											
93 932 7..											
99 844 6..											
99 943 6..											
16	 120										
MIDR 06.20.30	1981 → 1986	D	(LA)	6	8820 cm³	2V	194 kW	(264 PS)	15:1	130,00 mm	
93 733 6..	1	T15	G6		MO	3,25	5,12	120,00	STD	1	80 00323 1 0 000
	1	M		IF	CR	3	5,1				
	1	DSF			CR	4	4,65				
17	 123										
DCi 11 E + J01	01.2000 →	D	(LA)	6	11122 cm³	4V	272 kW	(370 PS)	17:1	153,00 mm	
Euro 3											
MIDR 06.23.56 A/41	02.1996 →	D	(LA)	6	11122 cm³	2V	280 kW	(381 PS)	17:1	156,00 mm	
Euro 2											
MIDR 06.23.56 B/41	04.1996 → 12.2002	D	(LA)	6	11122 cm³	2V	288 kW	(392 PS)	17:1	156,00 mm	
Euro 2											
40 074 6..	1	T15	G6		MO	3,5	5,1	123,03	STD	1	80 00440 1 0 000
	1	M	G6	IF	CR	3	5,1				
	1	DSF			CR	4	4,6				



RENAULT TRUCKS (RVI)

		No.	Type							
18		135								
M 635.40	1964 →	D	(AN)	6	12024 cm³	2V	177-224 kW	(240-306 PS)		140,00 mm
MIV 08.35.08	1972 →	D	(LA)	8	14886 cm³	2V	239 kW	(325 PS)		130,00 mm
MIV 08.35.30	09.1973 → 09.1979	D	(LA)	8	14886 cm³	2V	239 kW	(325 PS)		130,00 mm
MIV 08.35.35	1972 →	D	(LA)	8	14886 cm³	2V	239 kW	(325 PS)		130,00 mm
MS 06.35 T	1974 → 1983	D	(LA)	6	12024 cm³	2V	119-224 kW	(260-306 PS)	15:1	140,00 mm
	1	T15	G6	CR	3,5	5,6	135,00	STD	1	80 00324 1 0 000
	2	M			3	5,6				
	1	DSF		CR	6	5,45				
19		135								
MIDR 06.35.40	1979 →	D	(LA)	6	12024 cm³	2V	226 kW	(307 PS)	15:1	140,00 mm
MIDR 06.35.40 C	10.1980 → 03.1989	D	(LA)	6	12024 cm³	2V	224-226 kW	(305-307 PS)		140,00 mm
93 504 7..	1	T15	G6	CR	3,5	5,6	135,00	STD	1	80 00240 1 0 000
	1	M		CR	3	5,62				
	1	DSF		CR	4	4,95				
20		135								
MIDS 06.35.40	04.1985 → 10.1992	D	(A)	6	12024 cm³	2V	206 kW	(280 PS)	15:1	140,00 mm
MIDS 06.35.40 B		D	(A)	6	12024 cm³	2V	225 kW	(306 PS)		140,00 mm
93 987 6..	1	T15	G6	CR	3,5	5,6	135,00	STD	1	80 00392 1 0 000
93 987 7..	1	M		CR	3	5,62				
	1	DSF		CR	6	5,45				
21		135								
MIDR 06.35.40 G	03.1986 → 01.1993	D	(LA)	6	12024 cm³	2V	243-259 kW	(330-352 PS)	15:1	140,00 mm
MIDR 06.35.40 H	01.1986 → 10.1996	D	(LA)	6	12024 cm³	2V	259-276 kW	(352-375 PS)	16:1	140,00 mm
MIDR 06.35.40 H2	05.1991 → 10.1992	D	(LA)	6	12024 cm³	2V	275 kW	(374 PS)	16:1	140,00 mm
MIDR 06.35.40 J1	09.1991 → 06.1996	D	(LA)	6	12024 cm³	2V	305-314 kW	(415-427 PS)	16,5:1	140,00 mm
Euro 1										
MIDR 06.35.40 J3	10.1992 → 12.1996	D	(LA)	6	12024 cm³	2V	305 kW	(415 PS)	18:1	140,00 mm
Euro 1										
MIDR 06.35.40 L1	12.1991 → 10.1996	D	(LA)	6	12024 cm³	2V	283 kW	(385 PS)	16,5:1	140,00 mm
MIDR 06.35.40 L3		D	(LA)	6	12024 cm³	2V	283 kW	(385 PS)	16,5:1	140,00 mm
Euro 1										
MIDR 06.35.40 M3	10.1992 → 10.1998	D	(LA)	6	12024 cm³	2V	235 kW	(320 PS)	18:1	140,00 mm
Euro 1										
MIDR 06.35.40 N/3	02.1992 → 10.1998	D	(LA)	6	12024 cm³	2V	283 kW	(385 PS)	18:1	140,00 mm
Euro 1										
MIDR 06.35.40 P41	04.1996 → 01.1997	D	(LA)	6	12024 cm³	2V	309 kW	(420 PS)		140,00 mm
Euro 2										
90 947 7..	1	T15	G6	MO	4	5,6	135,00	STD	1	80 00387 1 0 000 (1)
94 510 6..	1	R		MO	3	5,6				
94 510 7..	1	DSF		CR	4	4,95				
94 511 6..										
94 511 7..										
	1	T15	G6	MO	4	5,6	135,00	STD	1	80 00387 1 1 000
	1	M	IF	CR	3	5,62				
	1	DSF		CR	4	4,95				
[1] 92 531 6..										