




EngineComponents

RENAULT TRUCKS (RVI)

				Cyl.		mm		cm³		Comp. Ratio ε	kW	PS	Pos
D 0846 HM 42 U	D (AN)	6			108 x 128		7030	2	18:1		118	160	18
DCi 11 B J01	D (LA)	6			123 x 153		11122	4	17:1		112	152	22
DCi 11 C + J01 Euro 3	D (LA)	6			123 x 153		11122	4	17:1		309	420	22
DCi 11 E + J01 Euro 3	D (LA)	6			123 x 153		11122	4	17:1		272	370	22
DCi 11 G + J01 Euro 3	D (LA)	6			123 x 153		11122	4	17:1		236	320	22
DCi 4 B J01 Euro 3	D (A)	4			102 x 126		4118	2	17:1		112	150	16
DCi 4 C J01 Euro 3	D (A)	4			102 x 126		4118	2			128	174	16
DCi 6 AC J01 Euro 3	D (LA)	6			102 x 126		6177	2	16,5:1		195	265	16
DCi 6 W J01 Euro 3	D (LA)	6			102 x 126		6177	2	16,5:1		158	215	16
DXi 11 370 Euro 4/5	D (LA)	6			123 x 152		10800	4	18:1		272	370	23
DXi 11 410 Euro 4/5	D (LA)	6			123 x 152		10800	4	18:1		302	410	23
DXi 11 450 Euro 4/5	D (LA)	6			123 x 152		10800	4	18:1		331	450	23
DXi 12 440 Euro 3	D (LA)	6			131 x 150		12100	4	18:1		324	440	25
DXi 12 480 Euro 3	D (LA)	6			131 x 150		12100	4	18:1		353	480	25
DXi 13 460 Euro 4/5	D (LA)	6			131 x 158		12800	4	18:1		338	460	26
DXi 13 500 Euro 4/5	D (LA)	6			131 x 158		12800	4	18:1		368	500	26
M 635.40	D (AN)	6			135 x 140		12024	2			177-224	240-306	27
MD 063.540	D (AN)	6			135 x 140		12024	2					27
MDR 06.35.40	D (LA)	6			135 x 140		12024	2	15:1		178	250	27
MDS 06.35.40	D (LA)	6			135 x 140		12024	2			177-208	241-283	27
MID 06.20.30	D (AN)	6			120 x 130		8820	2	17:1		141	192	19
MID 06.20.30 G	D (AN)	6			120 x 130		8820	2	17:1		141	192	19
MIDR 04.02.26 A/4 Euro 2	D (LA)	4			102 x 126		4118	2	17,5:1		100	136	15
MIDR 04.02.26 B/4 Euro 2	D (LA)	4			102 x 126		4118	2	17,5:1		110	150	15
MIDR 06.02.12	D (AN)	6			102 x 112		5490	2	17:1		136	185	14
MIDR 06.02.12 D	D (AN)	6			102 x 112		5490	2	17:1		127-134	173-182	14
MIDR 06.02.26 Euro 0	D (LA)	6			102 x 126		6177	2	17,5:1		159	216	14
MIDR 06.02.26 D Euro 1	D (LA)	6			102 x 126		6177	2	17,5:1		159-166	216-226	14
MIDR 06.02.26 DU	D (AN)	6			102 x 126		6177	2			110-166	150-226	15
MIDR 06.02.26 H	D (LA)	6			102 x 126		6177	2	18:1		144	196	14
MIDR 06.02.26 Q	D (AN)	6			102 x 126		6177	2			137	186	14
MIDR 06.02.26 U Euro 1	D (AN)	6			102 x 126		6177	2	17,5:1		110	150	14
MIDR 06.02.26 V Euro 2	D (LA)	6			102 x 126		6177	2	18:1		129	175	14
MIDR 06.02.26 W Euro 1	D (LA)	6			102 x 126		6177	2	17,5:1		151	205	14
MIDR 06.02.26 X Euro 1	D (LA)	6			102 x 126		6177	2	18:1		166	226	14
MIDR 06.02.26 Y	D (AN)	6			102 x 126		6177	2			184	250	15
MIDR 06.02.26 Y41 Euro 2	D (LA)	6			102 x 126		6177	2	18:1		184	250	15
MIDR 06.20.30	D (LA)	6			120 x 130		8820	2	15:1		194	264	19
MIDR 06.20.45	D (LA)	6			120 x 145		9839	2			188-249	298-338	20
MIDR 06.20.45 A/2	D (LA)	6			120 x 145		9839	2	17:1		202-206	275-280	19
MIDR 06.20.45 BC	D (LA)	6			120 x 145		9839	2			195	265	19
MIDR 06.20.45 B/3 Euro 1	D (LA)	6			120 x 145		9839	2	18:1		195	265	19
MIDR 06.20.45 C	D (LA)	6			120 x 145		9839	2	16:1		210	285	20
MIDR 06.20.45 C/4 Euro 2	D (LA)	6			120 x 145		9839	2	17:1		188	256	19
MIDR 06.20.45 D Euro 1	D (LA)	6			120 x 145		9839	2	18:1		210-222	286-302	19
MIDR 06.20.45 DD	D (LA)	6			120 x 145		9839	2	18:1		222	302	19
MIDR 06.20.45 D/3 Euro 1	D (LA)	6			120 x 145		9839	2	18:1		222	302	19
MIDR 06.20.45 D/41 Euro 2	D (LA)	6			120 x 145		9839	2	18:1		219	298	20
MIDR 06.20.45 E Euro 1	D (LA)	6			120 x 145		9839	2	18:1		236-249	321-339	19
MIDR 06.20.45 E/2 Euro 1	D (LA)	6			120 x 145		9839	2	18:1		249	339	19
MIDR 06.20.45 E/3 Euro 1	D (LA)	6			120 x 145		9839	2	18:1		249	339	19
MIDR 06.20.45 H	D (LA)	6			120 x 145		9839	2			240	326	19
MIDR 06.23.56 A/41 Euro 2	D (LA)	6			123 x 156		11122	2	17:1		280	381	21
MIDR 06.23.56 B/41 Euro 2	D (LA)	6			123 x 156		11122	2	17:1		288	392	21
MIDR 06.23.56 B43 Euro 3	D (LA)	6			123 x 156		11122	4	17:1		303	412	21
MIDR 06.24.65 AB Euro 2	D (LA)	6			124 x 165		11956	2			287	390	24
MIDR 06.24.65 A42 Euro 2	D (LA)	6			124 x 165		11956	2	15,3:1		287	390	24
MIDR 06.24.65 B42 Euro 2	D (LA)	6			124 x 165		11956	4	15,3:1		316	430	24
MIDR 06.24.65 C42 Euro 2	D (LA)	6			124 x 165		11956	2	15,3:1		346	471	24
MIDR 06.35.40	D (LA)	6			135 x 140		12024	2	15:1		226	307	27
MIDR 06.35.40 G	D (LA)	6			135 x 140		12024	2	15:1		243-259	330-352	29
MIDR 06.35.40 H	D (LA)	6			135 x 140		12024	2	16:1		259-276	352-375	28
MIDR 06.35.40 J1 Euro 1	D (LA)	6			135 x 140		12024	2	16,5:1		305-314	415-427	30
MIDR 06.35.40 J3 Euro 1	D (LA)	6			135 x 140		12024	2	18:1		305	415	30
MIDR 06.35.40 L1	D (LA)	6			135 x 140		12024	2	16,5:1		283	385	30
MIDR 06.35.40 M3 Euro 1	D (LA)	6			135 x 140		12024	2	18:1		235	320	30
MIDR 06.35.40 N/3 Euro 1	D (LA)	6			135 x 140		12024	2	18:1		283	385	30
MIDS 06.02.12	D (A)	6			102 x 112		5490	2			107	145	14
MIDS 06.02.12 B	D (AN)	6			102 x 112		5490	2	17:1		113-117	154-159	14



RENAULT TRUCKS (RVI)

				Cyl.		mm		cm³		Comp. Ratio	ε	kW	PS	Pos
MIDS 06.02.12 C	D (AN)	6			102 x 112		5490	2	17:1			97-103	132-140	14
MIDS 06.02.12 D	D (AN)	6			102 x 112		5490	2	17:1			110	150	14
MIDS 06.20.30	D (A)	6			120 x 130		8820	2				158	215	19
MIDS 06.20.30 N	D (A)	6			120 x 130		8820	2	15/17:1			153-169	215-230	19
MIDS 06.20.30 N1	D (LA)	6			120 x 130		8820	2	17:1			135	184	19
MIDS 06.20.30 P	D (LA)	6			120 x 130		8820	2	17:1			169-177	230-240	19
MIDS 06.20.45	D (LA)	6			120 x 145		9839	2	17:1			152-169	207-230	19
MIDS 06.20.45 B	D (LA)	6			120 x 145		9839	2	17:1			192-202	261-275	20
MIDS 06.20.45 D	D (LA)	6			120 x 145		9839	2	17:1			129	175	19
MIDS 06.20.45 J/3 Euro 1	D (LA)	6			120 x 145		9839	2				161-168	219-228	19
MIDS 06.35.40	D (A)	6			135 x 140		12024	2	15:1			206	280	27
MIDS 06.35.40 B	D (A)	6			135 x 140		12024	2				225	306	27
MIP 06.20.30	D (AN)	6			120 x 130		8820	2	17:1			135-158	184-215	19
MIPR 06.20.45	D (LA)	6			120 x 145		9839	2	17:1			222-265	302-360	19
MIPR 06.20.45 E	D (LA)	6			120 x 145		9839	2	17:1			222-265	302-360	19
MIPS 06.20.30	D (AN)	6			120 x 130		8820	2				166	222	19
MIPS 06.20.45	D (LA)	6			120 x 145		9839	2	17:1			137	186	19
T 4.40	D (LA)	4			100 x 127,3		3990	2				82-88	112-120	13
V 8.510	D (A)	8			107,95 x 114,2		8360	2	16,5:1			132	180	17
720.12	D (AN)	4			102 x 110		3596	2	17:1			72	98	14
797	D (AN)	6			102 x 112		5489	2	17,5:1			89-100	121-136	14
798	D (A)	6			102 x 112,1		5489	2	17:1			110-113	150-154	14
4.236	D (AN)	4			98,48 x 126,8		3864	2	16:1			48-60	59-80	12
712	D (AN)	4			98 x 110		3317	2	17,5:1			63	85	11
720	D (AN)	4			102 x 110		3596	2	17,5:1			65-67	88-91	14
797.20	D (AN)	6			102 x 112,1		5496	2	17,5:1			89-113	121-154	14
797-21	D (AN)	6			102 x 112,1		5496	2	17,5:1			76	103	14
797-23	D (AN)	6			102 x 112,1		5496	2	17:1			96	130	14
797-26	D (AN)	6			102 x 112,1		5496	2	17,5:1			98	133	14
798-10	D (A)	6			102 x 112,1		5496	2	17:1			82-113	111-154	14
798-20	D (A)	6			102 x 112,1		5496	2	17:1			113	154	14
8140.07.2530	D (AN)	4			93 x 92		2499	2	18,5:1			55	75	1
8140.07.2585 Euro 1	D (AN)	4			93 x 92		2499	2	18,5:1			55	75	4
8140.21.200	D (A)	4			93 x 90		2445	2	18:1			68	92	1
8140.21.235	D (A)	4			93 x 90		2445	2	18:1			68	92	1
8140.23.2585 Euro 2	D (LA)	4			94,4 x 100		2798	2	18,5:1			76	103	7
8140.27.2350	D (AN)	4			93 x 90		2445	2				68-71	92-97	2
8140.27.2530 Euro 1	D (LA)	4			93 x 92		2499	2	18,5:1			71-78	97-106	3
8140.27.2565 Euro 1	D (A)	4			94,4 x 100		2798	2	18,5:1			78	106	5
8140.27.2582	D (A)	4			93 x 92		2499	2	18,5:1			68-78	92-106	2
8140.27.2585 Euro 1	D (A)	4			93 x 92		2499	2	18,5:1			76-78	103-106	2
8140.43B.3586 Euro 3	D (LA)	4			94,4 x 100		2798	2	18,5:1			78	106	10
8140.43B.3588 Euro 3	D (LA)	4			94,4 x 100		2798	2	18,5:1			78	106	10
8140.43C.2586 Euro 2	D (LA)	4			94,4 x 100		2798	2	19:1			78	106	6
8140.43C.2588 Euro 2	D (LA)	4			94,4 x 100		2798	2	19:1			78	106	10
8140.43K.2585 Euro 3	D (LA)	4			94,4 x 100		2798	2	18,5:1			103	140	10
8140.43N.3585 Euro 3	D (LA)	4			94,4 x 100		2798	2	18,5:1			108	146	6
8140.43S.2585 Euro 3	D (LA)	4			94,4 x 100		2798	2	18,5:1			92	125	8
8140.43.2585 Euro 2	D (LA)	4			94,4 x 100		2798	2	18,5:1			90	122	6
8140.47.2530 Euro 1	D (LA)	4			93 x 92		2499	2	18,5:1			85	116	2
8140.47.2580 Euro 1	D (A)	4			93 x 92		2499	2				76	103	3
8140.47.2585 Euro 1	D (LA)	4			93 x 92		2499	2	18,5:1			85	116	2
8140.47.2590 Euro 1	D (LA)	4			93 x 92		2499	2	18,5:1			85	116	2
8140.61.235	D (AN)	4			93 x 90		2445	2	21:1			53	72	1
8140.63.2585 Euro 2	D (LA)	4			94,4 x 100		2798	2	21,7:1			63	85	9
8140.63.2586 Euro 2	D (LA)	4			94,4 x 100		2798	2	21,7:1			62	85	10



EngineComponents

RENAULT TRUCKS (RVI)

				Pos				Pos
Series 85	09.1984 → 10.1991	798-20	D	14	CLR 220	05.1986 → 05.1991	MIDS 06.20.30 N D	19
Series 95	01.1988 → 12.1988	MIDR 06.02.12	D	14	CLR 230	10.1990 → 10.1998	MIDR 06.02.26 D D	14
Series 150	10.1991 → 01.1995	MIDS 06.02.12 B	D	14	CLR 290	05.1986 → 10.1991	MIDR 06.20.45 D D	19
Series 110	09.1985 → 01.1995	MIDR 06.02.12 D	D	14	D 170	10.1984 → 08.1986	MIDR 06.02.12 D	14
Series 228	1977 → 1987	MIDS 06.20.30 N	D	19	DG 170	09.1986 → 11.1987	MIDR 06.02.12 D	14
Series 230	1977 → 1987	MIDS 06.20.30 N	D	19	DG 290	09.1986 → 11.1988	MIDR 06.20.45 D	20
Series 231	1977 → 1987	MIDS 06.20.30 N	D	19	FR 1	10.1982 → 03.1987	MIDR 06.20.45 C D	20
Series 235	1977 → 1987	MIDS 06.20.30 N	D	19	FR 1	04.1987 → 12.1996	MIDR 06.20.45 D D	19
Series 250	01.2000 →	MIDR 06.02.26 Y	D	15	FR 1	10.1992 → 12.1996	MIDR 06.20.45 D/3 D	19
Series 305	1979 →	MIDR 06.35.40	D	27	FR 1	1995 →	MIPR 06.20.45 D	19
Series 310	1979 →	MIDR 06.35.40	D	27	G 170	05.1983 → 02.1990	MIDR 06.02.12 D D	14
Series 350	09.1979 →	4.236	D	12	G 190		MID 06.20.30 D	19
Series 380	09.1979 →	4.236	D	12	G 190		MIP 06.20.30 D	19
Series 440	09.1979 →	4.236	D	12	G 200	11.1983 → 02.1990	MIDS 06.20.30 N D	19
Series 450	09.1979 →	4.236	D	12	G 200	05.1990 → 03.1993	MIDR 06.02.26 H D	14
Series 480	09.1979 →	4.236	D	12	G 200	05.1990 → 06.1993	MIDR 06.02.26 Q D	14
Series 500	09.1979 →	4.236	D	12	G 200	06.1991 →	MIDR 06.02.26 DU D	15
Series 530	09.1979 →	4.236	D	12	G 210	11.1983 → 02.1990	MIDS 06.20.30 N D	19
Series 550	09.1979 →	4.236	D	12	G 210	05.1992 → 10.1996	MIDR 06.02.26 W D	14
Series 560	09.1979 →	4.236	D	12	G 220	10.1989 → 02.1990	MIDR 06.02.26 D D	14
Series 950	09.1974 → 09.1979	MID 06.20.30	D	19	G 220	03.1991 → 10.1996	MIDS 06.20.45 J/3 D	19
Series 950	01.1976 → 09.1979	MIDS 06.20.30	D	19	G 230	11.1983 → 02.1990	MIDS 06.20.30 N D	19
Series 950	1977 → 1987	MIDS 06.20.30 N	D	19	G 230	03.1984 → 06.1993	MIDS 06.20.30 P D	19
Agora Citybus	02.1996 →	MIDR 06.20.45	D	20	G 230	01.1990 → 10.1996	MIDR 06.02.26 D D	14
Ares 380	06.2000 →	MIDR 06.23.56 A/41	D	21	G 230	01.1990 → 10.1996	MIDR 06.02.26 X D	14
					G 235	06.1995 → 10.1996	MIDS 06.20.45 J/3 D	19
B 70	01.1983 → 12.1990	8140.61.235	D	1	G 260	01.1982 → 12.1989	MIDR 06.20.45 A/2 D	19
B 80	08.1990 → 06.1994	8140.07.2530	D	1	G 260	10.1982 → 05.1990	MIDS 06.20.45 B D	20
B 80	07.1994 → 06.1999	8140.07.2585	D	4	G 260	02.1996 → 06.1997	MIDR 06.20.45 C/4 D	19
B 90	01.1986 → 07.1996	8140.21.235	D	1	G 270	11.1992 → 10.1996	MIDR 06.20.45 B/3 D	19
B 90	01.1986 → 07.1996	8140.27.2582	D	2	G 270	11.1992 →	MIDR 06.20.45 D	20
B 90	04.1986 → 09.1990	8140.21.200	D	1	G 270		MIDR 06.20.45 BC D	19
B 90	04.1986 → 10.1992	8140.27.2350	D	2	G 280	10.1982 → 06.1993	MIDR 06.20.45 A/2 D	19
B 90	09.1990 → 01.1992	8140.27.2530	D	3	G 280	10.1982 → 06.1993	MIDR 06.20.45 D D	19
B 110	08.1990 → 08.1996	8140.27.2530	D	3	G 280	06.1985 → 06.1993	MIDS 06.20.45 B D	20
B 110	08.1990 → 08.1996	8140.27.2565	D	5	G 280	09.1991 → 10.1996	MIDR 06.20.45 B/3 D	19
B 110	04.1994 →	8140.47.2580	D	3	G 290	11.1985 → 12.1989	MIDR 06.20.45 D	20
B 110	07.1994 → 07.1996	8140.27.2585	D	2	G 290	11.1985 → 12.1989	MIDR 06.20.45 D D	19
B 110	06.1996 → 06.1999	8140.23.2585	D	7	G 290	1995 →	MIPR 06.20.45 D	19
B 120	10.1991 → 07.1996	8140.47.2530	D	2	G 300	01.1990 → 03.1993	MIDR 06.20.45 D D	19
B 120	10.1991 → 06.2001	8140.43.2585	D	6	G 300	01.1990 →	MIDR 06.20.45 D	20
B 120	07.1994 → 07.1996	8140.47.2585	D	2	G 300	09.1992 → 10.1996	MIDR 06.20.45 D/3 D	19
B 120	07.1994 → 07.1996	8140.47.2590	D	2	G 300	1995 →	MIPR 06.20.45 D	19
BH 280	1982 →	MDS 06.35.40	D	27	G 300	02.1996 → 06.1997	MIDR 06.20.45 D/41	20
C 190	09.1974 →	MID 06.20.30	D	19				
C 190	09.1974 →	MIP 06.20.30	D	19	G 320	05.1988 → 05.1990	MIDR 06.20.45 H D	19
C 210	12.1983 → 05.1991	MIDS 06.20.30 N	D	19	G 320	1995 →	MIPR 06.20.45 D	19
C 230	05.1990 → 10.1998	MIDR 06.02.26 D	D	14	G 330	02.1990 → 03.1993	MIDR 06.20.45 E/2 D	19
C 230	05.1990 → 10.1998	MIDR 06.02.26 X	D	14	G 330	02.1990 → 03.1993	MIDR 06.20.45 H D	19
C 260	10.1982 → 05.1991	MIDS 06.20.45 B	D	20	G 330	02.1990 → 10.1996	MIDR 06.20.45 DD D	19
C 280	07.1992 → 03.1993	MIDS 06.20.45 B	D	20	G 330	09.1991 → 03.1993	MIDR 06.20.45 E D	19
C 290	1995 → 05.1991	MIDR 06.20.45 D	D	19	G 340	01.1990 → 10.1992	MIDR 06.20.45 D	20
C 290	1995 →	MIPR 06.20.45	D	19	G 340	01.1990 → 03.1993	MIDR 06.20.45 E D	19
C 300	09.1992 → 10.1998	MIDR 06.20.45 D/3 D	D	19	G 340	02.1992 → 10.1996	MIDR 06.20.45 E/3 D	19
C 300	09.1992 →	MIDR 06.20.45	D	20	GB 131	06.1980 → 12.1984	797-26 D	14
C 300	09.1992 →	MIDR 06.20.45 A/2 D	D	19	GB 191	06.1980 → 12.1984	MID 06.20.30 D	19
C 340	07.1990 → 03.1993	MIDR 06.20.45 E/2 D	D	19	GB 231	1978 →	MIDS 06.20.30 N D	19
C 340	07.1990 → 10.1998	MIDR 06.20.45 E D	D	19	GB 231	06.1980 → 12.1984	MIDS 06.20.30 D	19
CBH 320	10.1992 → 10.1998	MIDR 06.35.40 M3 D	D	30	GB 280	01.1977 → 09.1979	MDR 06.35.40 D	27
CBH 340	04.1988 → 10.1992	MIDR 06.35.40 G D	D	29	GBH 280	01.1977 → 09.1979	MDR 06.35.40 D	27
CBH 350	05.1990 → 01.1993	MIDR 06.35.40 G D	D	29	GBH 280	06.1980 → 06.1991	MDS 06.35.40 D	27
CBH 380	01.1990 → 10.1992	MIDR 06.35.40 H D	D	28	GBH 280	04.1985 → 10.1992	MIDS 06.35.40 D	27
CBH 385	10.1992 → 10.1998	MIDR 06.35.40 N/3 D	D	30	GBH 320	10.1992 → 06.1996	MIDR 06.35.40 M3 D	30
CBM 200	11.1983 →	MIDS 06.02.12	D	14	GC 190	09.1974 → 09.1979	MID 06.20.30 D	19
CCH 300	12.1990 → 12.1992	MIDR 06.20.45 D/3 D	D	19	GC 191	06.1980 → 12.1984	MID 06.20.30 D	19
CLM 320	10.1992 → 10.1998	MIDR 06.35.40 M3 D	D	30	GC 230	01.1976 → 09.1979	MIDS 06.20.30 D	19
CLM 340	02.1988 → 10.1991	MIDR 06.35.40 G D	D	29	GC 231	06.1980 → 12.1985	MIDS 06.20.30 D	19
CLM 350	04.1991 → 10.1992	MIDR 06.35.40 G D	D	29	GC 231	06.1980 → 12.1985	MIDS 06.20.30 N D	19
CLM 385	10.1992 → 10.1998	MIDR 06.35.40 N/3 D	D	30	GF 191	06.1980 → 12.1984	MID 06.20.30 D	19



RENAULT TRUCKS (RVI)

				Pos				Pos
GF 230	01.1976 → 09.1979	MIDS 06.20.30	D	19	Lander 370	DCi 11 E + J01	D	22
GF 231	06.1980 → 12.1984	MIDS 06.20.30	D	19	Lander 370	DXi 11 370	D	23
GF 231	06.1980 → 12.1984	MIDS 06.20.30 N	D	19	Lander 410	DXi 11 410	D	23
GFC 231	06.1980 → 12.1984	MIDS 06.20.30	D	19	Lander 420	DCi 11 C + J01	D	22
GLR 190	09.1978 → 06.1991	MID 06.20.30 G	D	19	Lander 450	DXi 11 450	D	23
GLR 210	12.1983 → 06.1990	MIDS 06.20.30 N	D	19	M 150	11.1992 → 09.1998	MIDR 06.02.26 U	D 14
GLR 230	1978 → 06.1991	MIDS 06.20.30 N	D	19	M 180	1992 →	MIDR 06.02.26 DU	D 15
GR 190		MID 06.20.30	D	19	M 180		MIDR 06.02.12	D 14
GR 190		MIP 06.20.30	D	19	M 200		MIDR 06.02.26 DU	D 15
GR 191	06.1980 → 12.1984	MID 06.20.30	D	19	M 230	05.1989 → 01.2000	MIDR 06.02.26 Y	D 15
GR 230	01.1976 → 09.1979	MIDS 06.20.30	D	19	M 230	05.1992 → 10.1996	MIDR 06.02.26 X	D 14
GR 231	06.1980 → 12.1984	MIDS 06.20.30	D	19	M 230	05.1992 → 01.2000	MIDR 06.02.26 D	D 14
GR 280	01.1973 → 06.1980	MDS 06.35.40	D	27	M 250	05.1996 → 01.2000	MIDR 06.02.26 Y	D 15
GRH 235	1977 → 12.1984	MIDS 06.20.30 N	D	19	ME 180	05.1989 → 03.1993	MIDR 06.02.12 D	D 14
Iliade	10.1996 → 09.2001	MIDR 06.23.56 A/ 41	D	21	Magnum AE 380	09.1990 → 01.1992	MIDR 06.35.40 H	D 28
					Magnum AE 385	02.1992 → 10.1996	MIDR 06.35.40 L1	D 30
JE 11	01.1975 → 05.1990	798-10	D	14	Magnum AE 385	02.1992 → 10.1996	MIDR 06.35.40 N/3	D 30
JE 11	01.1985 → 05.1990	MIDR 06.02.12 D	D	14	Magnum AE 390	02.1996 →	MIDR 06.24.65 AB	D 24
JE 13	01.1975 → 10.1990	797-26	D	14	Magnum AE 390	02.1996 →	MIDR 06.24.65	D 24
JE 13	01.1975 → 10.1990	798-10	D	14			A42	
JE 13	01.1975 → 10.1990	798-20	D	14	Magnum AE 420	1992 → 06.1996	MIDR 06.35.40 J1	D 30
JE 13	01.1983 → 10.1990	797.20	D	14	Magnum AE 420	10.1992 → 12.1996	MIDR 06.35.40 J3	D 30
JE 13	01.1983 → 04.1991	MIDR 06.02.12 D	D	14	Magnum AE 430	09.1996 → 05.2000	MIDR 06.24.65	D 24
JE 13	01.1983 → 04.1991	MIDS 06.02.12 B	D	14			B42	
JE 15	01.1983 → 10.1990	797.20	D	14	Magnum AE 440	03.2005 →	DXi 12 440	D 25
JE 15	01.1983 → 10.1990	798-20	D	14	Magnum AE 460		DXi 13 460	D 26
JE 15	01.1985 → 06.1991	MIDR 06.02.12 D	D	14	Magnum AE 470	11.1996 → 05.2000	MIDR 06.24.65	D 24
JE 15	01.1985 → 06.1991	MIDS 06.02.12 B	D	14			C42	
JE 9	01.1975 → 05.1990	797-26	D	14	Magnum AE 480	03.2005 →	DXi 12 480	D 25
JK 60	10.1979 → 01.1986	720.12	D	14	Magnum AE 500	→ 10.1992	DXi 13 500	D 26
JK 60	10.1979 → 01.1986	720	D	14	Mascott 90	01.1999 → 06.2004	8140.63.2585	D 9
JK 65	10.1979 → 01.1986	720.12	D	14	Mascott 90	01.1999 → 06.2004	8140.63.2586	D 10
JK 65	10.1979 → 01.1986	720	D	14	Mascott 110	01.1999 → 06.2004	8140.43B.3588	D 10
JK 75	03.1976 → 01.1986	720.12	D	14	Mascott 110	01.1999 → 06.2004	8140.43C.2586	D 6
JK 75	10.1979 → 01.1986	720	D	14	Mascott 110	01.1999 → 06.2004	8140.43C.2588	D 10
JN 60	06.1980 → 06.1984	797	D	14	Mascott 130	01.1999 → 06.2004	8140.43S.2585	D 8
JN 75	10.1979 → 06.1984	798-10	D	14	Mascott 130	01.1999 →	8140.43B.3586	D 10
JN 80	10.1982 → 06.1984	797	D	14	Mascott 140	01.2001 → 06.2004	8140.43K.2585	D 10
JN 85	06.1980 → 06.1984	720	D	14	Mascott 150	10.2001 → 06.2004	8140.43N.3585	D 6
JN 95	06.1980 → 06.1984	797	D	14	Maxter 300	02.1996 →	MIDR 06.20.45	D 20
JP 13	10.1979 → 06.1984	798-10	D	14	Maxter 340	02.1996 →	MIDR 06.20.45	D 20
JP 14	12.1981 → 06.1984	797	D	14	Midliner M 140	06.1989 → 03.1993	MIDS 06.02.12 C	D 14
JR 19	05.1976 → 06.1980	798-10	D	14	Midliner M 160	06.1989 → 03.1993	MIDS 06.02.12 B	D 14
JR 19	06.1980 → 06.1984	798	D	14	Midliner M 180	06.1991 → 03.1993	MIDR 06.02.12 D	D 14
JR 21	05.1976 → 06.1980	798-10	D	14	Midliner M 180	11.1992 → 01.2000	MIDR 06.02.26 V	D 14
JR 21	06.1980 → 06.1984	798	D	14	Midliner M 200	06.1989 → 06.1993	MIDR 06.02.26 H	D 14
JX 21	05.1980 → 06.1984	797	D	14	Midliner M 200	06.1989 → 06.1993	MIDR 06.02.26 Q	D 14
Kerax 260	06.1997 → 12.2002	MIDR 06.20.45 C/4	D	19	Midliner M 210	05.1992 → 12.2000	MIDR 06.02.26 W	D 14
Kerax 300	06.1997 → 12.2002	MIDR 06.20.45 D/ 41	D	20	Midliner M 250	05.1996 → 01.2000	MIDR 06.02.26	D 15
Kerax 300	09.1997 →	MIDR 06.20.45	D	20	Midliner ME 160	01.1990 → 12.2001	MIDS 06.02.12 B	D 14
Kerax 320	01.2001 → 04.2006	DCi 11 G + J01	D	22	Midliner ME 180	01.1990 → 12.2001	MIDR 06.02.12 D	D 14
Kerax 340	06.1997 → 12.1999	MIDR 06.20.45 E/3	D	19	Midlum 135	02.2000 → 12.2001	MIDR 04.02.26 A/4	D 15
Kerax 340	06.1997 →	MIDR 06.20.45	D	20	Midlum 150	02.2000 → 04.2006	DCi 4 B J01	D 16
Kerax 370	01.2001 → 04.2006	DCi 11 E + J01	D	22	Midlum 150	02.2000 → 04.2006	MIDR 04.02.26 B/4	D 15
Kerax 370	03.2005 →	DXi 11 370	D	23	Midlum 150	→ 04.2006	DCi 11 B J01	D 22
Kerax 385	02.1998 → 12.2002	MIDR 06.23.56 A/ 41	D	21	Midlum 180	07.2001 → 04.2006	DCi 4 C J01	D 16
					Midlum 210	01.2000 →	MIDR 06.02.26	D 14
Kerax 385	09.1998 →	MIDR 06.23.56	D	21	Midlum 215		DCi 6 W J01	D 16
		B43			Midlum 220	07.2001 → 04.2006	DCi 6 W J01	D 16
Kerax 400	09.1998 → 12.2002	MIDR 06.23.56 B/ 41	D	21	Midlum 250	02.2000 → 06.2001	MIDR 06.02.26	D 15
							Y41	
Kerax 400	09.1998 →	MIDR 06.23.56	D	21	Midlum 265		DCi 6 AC J01	D 16
		B43			Midlum 270	07.2001 → 04.2006	DCi 6 AC J01	D 16
Kerax 410		DXi 11 410	D	23	OK 010 K	01.1973 → 09.1979	4.236	D 12
Kerax 420	01.2001 → 04.2006	DCi 11 C + J01	D	22	OK 05 K	01.1973 → 09.1979	4.236	D 12
Kerax 450		DXi 11 450	D	23	PER 180	08.1982 → 11.1990	MIPS 06.20.30	D 19
Kerax 460		DXi 13 460	D	26	PER 180	1995 →	MIPR 06.20.45	D 19
Kerax 500		DXi 13 500	D	26	PR 10	1978 → 09.1987	MIDS 06.20.30 N	D 19
Lander 320		DCi 11 G + J01	D	22	PR 10	06.1980 → 09.1987	MIDS 06.20.30	D 19



EngineComponents

RENAULT TRUCKS (RVI)

			Pos				Pos
PR 12	1978 → 03.1986	MIDS 06.20.30 N D	19	S 150	07.1987 →	MIDS 06.02.12 D	14
PR 12	05.1980 → 03.1986	MIDS 06.20.30 D	19	S 150	11.1992 → 01.2000	MIDR 06.02.26 U D	14
PR 14	01.1977 → 06.1980	MIDS 06.20.30 N D	19	S 150	01.1994 → 05.1996	MIDS 06.02.12 D D	14
PR 14	01.1977 → 06.1980	MIP 06.20.30 D	19	S 150	01.1994 →	MIDR 06.02.12 D	14
PR 14	1981 → 1986	MIDR 06.20.30 D	19	S 150	05.1996 → 01.2000	MIDR 04.02.26 B/4 D	15
PR 100	01.1972 → 03.1980	V 8.510 D	17	S 160	02.1990 → 04.1993	MIDS 06.02.12 B D	14
PR 100	06.1980 → 12.1984	MIP 06.20.30 D	19	S 170	10.1982 → 03.1993	MIDR 06.02.12 D D	14
PR 100	10.1982 → 12.1984	MIPS 06.20.30 D	19	S 170		MIDR 06.02.12 D	14
PR 100	1995 → 05.1995	MIPR 06.20.45 D	19	S 180	11.1992 → 01.2000	MIDR 06.02.26 V D	14
PR 112	02.1996 →	MIPR 06.20.45 D	19	S 210	11.1992 → 01.2000	MIDR 06.02.26 D	14
PR 118	02.1996 →	MIPR 06.20.45 D	19	S 210	04.1995 → 08.1998	MIDR 06.02.26 W D	14
PR 180	03.1983 → 12.1989	MIPS 06.20.30 D	19	S 220	09.1987 → 09.1990	MIDR 06.02.26 D	14
PR 180	06.1984 → 12.1989	MIDS 06.20.45 D	19	S 220		MIDR 06.02.26 DU D	15
PR 180	06.1984 → 06.1992	MIPS 06.20.45 D	19	S 40	05.1984 → 06.1991	720 D	14
PR 180	06.1991 →	MIDR 06.20.45 D	20	S 50	05.1983 → 07.1986	798-10 D	14
PR 180	06.1991 →	MIDR 06.20.45 A/2 D	19	S 45	06.1980 → 12.1994	D 0846 HM 42 U D	18
PR 770	1975 → 1987	MIP 06.20.30 D	19	S 53	06.1980 → 12.1994	D 0846 HM 42 U D	18
PR 950	1975 → 1987	MIP 06.20.30 D	19	S 90	05.1984 → 06.1991	720 D	14
Premium 210	04.1996 →	MIDR 06.02.26 D	14	SB 2	10.1979 → 09.1986	712 D	11
Premium 220	11.2000 → 04.2006	DCi 6 W J01 D	16	SG 2	10.1979 → 09.1986	712 D	11
Premium 250	04.1996 → 09.2001	MIDR 06.02.26 D	15	SG 3	10.1979 → 09.1986	712 D	11
		Y41		SG 4	06.1980 → 09.1986	720 D	14
Premium 260	04.1996 → 12.2001	MIDR 06.20.45 C/4 D	19	SM 8	06.1980 → 06.1984	797 D	14
Premium 270	01.2001 → 04.2006	DCi 6 AC J01 D	16	TB 191	06.1980 → 12.1984	MID 06.20.30 D	19
Premium 300	02.1996 → 09.2001	MIDR 06.20.45 D/ D	20	TB 231	06.1980 → 12.1984	MIDS 06.20.30 D	19
		41		TB 231	06.1980 →	MIDS 06.20.30 N D	19
Premium 300	04.1996 →	MIDR 06.20.45 D	20	TBH 280	01.1977 → 09.1979	MDR 06.35.40 D	27
Premium 320	01.2000 → 04.2006	DCi 11 G + J01 D	22	TBH 280	01.1977 → 06.1980	MDS 06.35.40 D	27
Premium 340	04.1996 →	MIDR 06.20.45 D	20	TF 230	01.1976 → 09.1979	MIDS 06.20.30 D	19
Premium 370	01.2000 → 04.2006	DCi 11 E + J01 D	22	TLR 280	01.1977 → 09.1979	MDR 06.35.40 D	27
Premium 370	→ 04.2006	DXi 11 370 D	23	TLR 280	06.1980 → 12.1992	MDS 06.35.40 D	27
Premium 385	02.1996 → 03.2001	MIDR 06.23.56 A/ D	21	TP 3	06.1980 → 05.1985	712 D	11
		41		TR 260	1973 → 06.1979	MD 063.540 D	27
Premium 400	02.1996 → 12.1999	MIDR 06.23.56 A/ D	21	TR 280	01.1977 → 09.1979	MDR 06.35.40 D	27
		41					
Premium 400	04.1996 → 03.2001	MIDR 06.23.56 B/ D	21				
		41					
Premium 410		DXi 11 410 D	23				
Premium 420	01.2000 → 04.2006	MIDR 06.23.56 D	21				
		B43					
Premium 420	01.2001 → 04.2006	DCi 11 C + J01 D	22				
Premium 450		DXi 11 450 D	23				
PX 30	1979 →	MIDR 06.35.40 D	27				
R TS	01.1993 → 05.1996	MIDR 06.35.40 J3 D	30				
R 312	11.1986 → 06.1993	MIDR 06.20.45 D	20				
R 312	11.1986 → 06.1993	MIDS 06.20.45 D	19				
R 312	11.1986 → 12.2003	MIDS 06.20.45 D D	19				
R 330	05.1988 → 05.1991	MIDR 06.20.45 E D	19				
R 340	03.1986 → 01.1992	MIDR 06.35.40 G D	29				
R 340	01.1990 → 12.1992	MIDR 06.20.45 E D	19				
R 340	02.1990 → 12.1992	MIDR 06.20.45 E/2 D	19				
R 340	10.1991 →	MIDR 06.20.45 D	20				
R 350	01.1990 → 01.1992	MIDR 06.35.40 G D	29				
R 357	01.1986 → 10.1996	MIDR 06.35.40 H D	28				
R 365	10.1987 → 05.1990	MIDR 06.35.40 H D	28				
R 380	01.1990 → 01.1992	MIDR 06.35.40 H D	28				
R 385	12.1991 → 08.1995	MIDR 06.35.40 L1 D	30				
R 385	09.1993 → 10.1996	MIDR 06.35.40 N/3 D	30				
R 420	09.1991 → 03.1993	MIDR 06.35.40 J1 D	30				
R 420	10.1992 → 10.1996	MIDR 06.35.40 J3 D	30				
S 105	01.1983 → 12.1994	D 0846 HM 42 U D	18				
S 110	06.1985 → 09.1990	797-21 D	14				
S 120	09.1990 → 11.1992	T 4.40 D	13				
S 130	05.1983 → 06.1991	797 D	14				
S 130	05.1983 → 06.1991	797.20 D	14				
S 130	05.1983 → 06.1991	797-23 D	14				
S 135	05.1996 → 01.2000	MIDR 04.02.26 A/4 D	15				
S 140	01.1990 → 09.1993	MIDS 06.02.12 C D	14				
S 150	05.1983 → 09.1990	798-10 D	14				
S 150	05.1986 → 09.1990	MIDS 06.02.12 B D	14				

R



Reference



1



8140.07.2530	08.1990 → 06.1994	D (AN)	4	2499 cm ³	2V	55 kW	(75 PS)	18,5:1	92,00 mm
8140.21.200	04.1986 → 09.1990	D (A)	4	2445 cm ³	2V	68 kW	(92 PS)	18:1	90,00 mm
8140.21.235	01.1986 → 07.1996	D (A)	4	2445 cm ³	2V	68 kW	(92 PS)	18:1	90,00 mm
8140.61.235	01.1983 → 12.1990	D (AN)	4	2445 cm ³	2V	53 kW	(72 PS)	21:1	90,00 mm

93 123 6.., 93 378 7.., 93 911 7.., 94 327 7..

	IN [2] EX [2]	41,0 x 8 x 120,8 34,5 x 8 x 122,0	S - Cr - A/S - Cr -	- 30° - - 45° -	- -	9 - III 9 - III		171120 17063
	[50] [50]	Ø 8 mm Ø 8 mm						RK-8 RK-8H
	IN/EX [4] IN/EX [4] IN/EX [4] IN/EX [4]	13,02 x 8.02 x 56,0 13,07 x 8.02 x 56,0 13,07 x 8.02 x 60,0 13,12 x 8 x 56,0	G1 G1 G1 G1					81-17116 81-17115 81-17114 81-5611 (1)
	(1) ohne Ventilschaftabdichtung without valve stem gasket sans joint de tige de soupape sin junta de vástago de válvula без уплотнения стержня клапана							

2



8140.27.2350	04.1986 → 10.1992	D (AN)	4	2445 cm ³	2V	68-71 kW	(92-97 PS)		90,00 mm
8140.27.2582	01.1986 → 07.1996	D (A)	4	2499 cm ³	2V	68-78 kW	(92-106 PS)	18,5:1	92,00 mm
8140.27.2585 Euro 1	07.1994 → 07.1996	D (A)	4	2499 cm ³	2V	76-78 kW	(103-106 PS)	18,5:1	92,00 mm
8140.47.2530 Euro 1	10.1991 → 07.1996	D (LA)	4	2499 cm ³	2V	85 kW	(116 PS)	18,5:1	92,00 mm
8140.47.2585 Euro 1	07.1994 → 07.1996	D (LA)	4	2499 cm ³	2V	85 kW	(116 PS)	18,5:1	92,00 mm
8140.47.2590 Euro 1	07.1994 → 07.1996	D (LA)	4	2499 cm ³	2V	85 kW	(116 PS)	18,5:1	92,00 mm

90 681 6.., 94 382 6.., 94 383 6..

	IN [2] EX [2]	41,0 x 8 x 120,8 34,5 x 8 x 122,0	S - Cr - A/S - Cr -	- 30° - - 45° -	- -	9 - III 9 - III		171120 17063
	[50] [50]	Ø 8 mm Ø 8 mm						RK-8 RK-8H
	IN/EX [4] IN/EX [4] IN/EX [4] IN/EX [4]	13,02 x 8.02 x 56,0 13,07 x 8.02 x 56,0 13,07 x 8.02 x 60,0 13,12 x 8 x 56,0	G1 G1 G1 G1					81-17116 81-17115 81-17114 81-5611 (1)
	(1) ohne Ventilschaftabdichtung without valve stem gasket sans joint de tige de soupape sin junta de vástago de válvula без уплотнения стержня клапана							
	TAP [8]	M						50 006 180 NEW

3



8140.27.2530 Euro 1	08.1990 → 08.1996	D (LA)	4	2499 cm ³	2V	71-78 kW	(97-106 PS)	18,5:1	92,00 mm
8140.47.2580 Euro 1	04.1994 →	D (A)	4	2499 cm ³	2V	76 kW	(103 PS)		92,00 mm

	TAP [8]	M						50 006 180 NEW
--	---------	---	--	--	--	--	--	------------------------------

4



8140.07.2585 Euro 1	07.1994 → 06.1999	D (AN)	4	2499 cm ³	2V	55 kW	(75 PS)	18,5:1	92,00 mm
----------------------------	-------------------	--------	---	----------------------	----	-------	---------	--------	----------

94 327 7..

	IN [2] EX [2]	41,0 x 8 x 121,9 34,5 x 8 x 121,9	A/S - Ni - A/S - Ni -	- 30° - - 45° -	- -	1 - III 1 - III		17080 17081
--	------------------	--------------------------------------	--------------------------	--------------------	--------	--------------------	--	------------------------------

Fortsetzung nächste Seite / continued on next page / suite page suivante / continuación página próxima / Продолжение на следующей странице

**TRW**

EngineComponents

RENAULT TRUCKS (RVI)

					Reference	TRW EngineComponents
[50]	Ø 8 mm					RK-8H

5	94,4					
8140.27.2565 Euro 1	08.1990 → 08.1996	D	(A)	4	2798 cm³ 2V	78 kW (106 PS) 18,5:1 100,00 mm
	IN [2]	41,0 x 8 x 120,8	S - Cr -	- 30° -	- 9 - III	171120
	IN [2]	41,0 x 8 x 121,9	A/S - Ni -	- 30° -	- 1 - III	17080
	EX [2]	34,5 x 8 x 121,9	A/S - Ni -	- 45° -	- 1 - III	17081
	EX [2]	36,0 x 8 x 122,0	A/S - Cr -	- 45° -	- 9 - III	171055
	[50]	Ø 8 mm				RK-8
	[50]	Ø 8 mm				RK-8H
	IN/EX [4]	13,02 x 8.02 x 56,0	G1			81-17116
	IN/EX [4]	13,07 x 8.02 x 56,0	G1			81-17115
	IN/EX [4]	13,07 x 8.02 x 60,0	G1			81-17114 (1)
	IN/EX [4]	13,12 x 8 x 56,0	G1			81-5611
	(1) ohne Ventilschaftabdichtung without valve stem gasket sans joint de tige de soupape sin junta de vástago de válvula без уплотнения стержня клапана					
	TAP [8]	M				50 006 180 NEW

6	94,4					
8140.43C.2586 Euro 2	01.1999 → 06.2004	D	(LA)	4	2798 cm³ 2V	78 kW (106 PS) 19:1 100,00 mm
8140.43N.3585 Euro 3	10.2001 → 06.2004	D	(LA)	4	2798 cm³ 2V	108 kW (146 PS) 18,5:1 100,00 mm
8140.43.2585 Euro 2	10.1991 → 06.2001	D	(LA)	4	2798 cm³ 2V	90 kW (122 PS) 18,5:1 100,00 mm
94 526 6.., 94 701 6..						
	IN [2]	41,0 x 8 x 120,8	S - Cr -	- 30° -	- 9 - III	171120
	EX [2]	36,0 x 8 x 122,0	A/S - Cr -	- 45° -	- 9 - III	171055
	[50]	Ø 8 mm				RK-8
	[50]	Ø 8 mm				RK-8H
	IN/EX [4]	13,02 x 8.02 x 56,0	G1			81-17116
	IN/EX [4]	13,07 x 8.02 x 56,0	G1			81-17115
	IN/EX [4]	13,12 x 8 x 56,0	G1			81-5611
	TAP [8]	M				50 006 180 NEW

7	94,4					
8140.23.2585 Euro 2	06.1996 → 06.1999	D	(LA)	4	2798 cm³ 2V	76 kW (103 PS) 18,5:1 100,00 mm
94 526 6.., 94 701 6..						
	IN [2]	41,0 x 8 x 120,8	S - Cr -	- 30° -	- 9 - III	171120
	EX [2]	36,0 x 8 x 122,0	A/S - Cr -	- 45° -	- 9 - III	171055
	[50]	Ø 8 mm				RK-8
	[50]	Ø 8 mm				RK-8H
	IN/EX [4]	13,02 x 8.02 x 56,0	G1			81-17116
	IN/EX [4]	13,07 x 8.02 x 56,0	G1			81-17115
	IN/EX [4]	13,12 x 8 x 56,0	G1			81-5611

8	94,4					
8140.43S.2585 Euro 3	01.1999 → 06.2004	D	(LA)	4	2798 cm³ 2V	92 kW (125 PS) 18,5:1 100,00 mm
94 726 6..						

Fortsetzung nächste Seite / continued on next page / suite page suivante / continuación página próxima / Продолжение на следующей странице



RENAULT TRUCKS (RVI)

						Reference	TRW EngineComponents
IN [2] EX [2]	41,0 x 8 x 120,8 36,0 x 8 x 122,0	S - Cr - A/S - Cr -	- 30° - - 45° -	- -	9 - III 9 - III	50 01 836 573	171120 171055
[50] [50]	Ø 8 mm Ø 8 mm						RK-8 RK-8H
IN/EX [4] IN/EX [4] IN/EX [4]	13,02 x 8.02 x 56,0 13,07 x 8.02 x 56,0 13,12 x 8 x 56,0	G1 G1 G1					81-17116 81-17115 81-5611
							50 007 571 NEW
TAP [8]	M						50 006 180 NEW

9

94,4

8140.63.2585 Euro 2 01.1999 → 06.2004 D (LA) 4 2798 cm³ 2V 63 kW (85 PS) 21,7:1 100,00 mm

							50 007 571 NEW
TAP [8]	M						50 006 180 NEW

10

94,4

8140.43B.3586 01.1999 → D (LA) 4 2798 cm³ 2V 78 kW (106 PS) 18,5:1 100,00 mm
Euro 3
8140.43B.3588 01.1999 → 06.2004 D (LA) 4 2798 cm³ 2V 78 kW (106 PS) 18,5:1 100,00 mm
Euro 3
8140.43C.2588 01.1999 → 06.2004 D (LA) 4 2798 cm³ 2V 78 kW (106 PS) 19:1 100,00 mm
Euro 2
8140.43K.2585 01.2001 → 06.2004 D (LA) 4 2798 cm³ 2V 103 kW (140 PS) 18,5:1 100,00 mm
Euro 3
8140.63.2586 Euro 2 01.1999 → 06.2004 D (LA) 4 2798 cm³ 2V 62 kW (85 PS) 21,7:1 100,00 mm

TAP [8]	M						50 006 180 NEW
---------	---	--	--	--	--	--	------------------------------

11

98

712 10.1979 → 09.1986 D (AN) 4 3317 cm³ 2V 63 kW (85 PS) 17,5:1 110,00 mm

IN [2] EX [2]	45,8 x 10 x 140,2 38,9 x 10 x 140,3	A/S - Cr - A - Cr -	- 30° - - 45° -	- -	1 - III 1 - III	50 00 676 249 50 00 676 255 50 00 044 581 50 00 676 243 50 00 676 254 50 00 676 257	597673 425351
[50]	Ø 10 mm						KK-10H
IN [4] EX [4]	16,00 x 10 x 86,0 16,00 x 10 x 67,0	G1 G1				00 33 123 074 00 33 123 076	81-59000 81-59001

12

98,48

4.236 01.1973 → D (AN) 4 3864 cm³ 2V 48-60 kW (59-80 PS) 16:1 126,80 mm
 91 118 6..., 93 592 6..., 99 629 6..

Fortsetzung nächste Seite / continued on next page / suite page suivante / continuación página próxima / Продолжение на следующей странице

**TRW**

EngineComponents

RENAULT TRUCKS (RVI)

						Reference	TRW EngineComponents
	IN [2]	44,2 x 9,5 x 122,8	S - -	- 45° - -	1 - III		105-03365
	IN [2]	44,2 x 9,5 x 122,8 M + 1	S - -	- 45° - -	1 - III		105-35472
	IN [2]	44,2 x 9,5 x 122,8	S - Cr -	- 30° - -	1 - III		105-35608
	IN [2]	44,2 x 9,9 x 122,8	S - -	- 45° - -	1 - III		105-34026
	EX [2]	36,5 x 9,5 x 123,2	A - -	- 45° - -	1 - III		105-03366
	EX [2]	36,6 x 9,5 x 123,2 S + 0.07	A - -	- 45° - -	1 - III		105-34025
	EX [2]	36,6 x 9,5 x 123,3 M + 1	A - -	- 45° - -	1 - III		105-35473
	IN [6]	15,90 x 9.515 x 57,9	G2				81-85003
	EX [6]	15,90 x 9.53 x 61,1	G2				81-85004

13 **100**

T 4.40	09.1990 → 11.1992	D (LA)	4	3990 cm ³	2V	82-88 kW	(112-120 PS)	127,30 mm
	IN [2]	45,1 x 9,5 x 122,8	A/S - Cr -	- 45° - -	1 - III			105-35459
	EX [2]	37,4 x 9,5 x 123,3	A/S - Cr -	- 45° - -	1 - III			105-35460

14 **102**

MIDR 06.02.12	10.1984 →	D (AN)	6	5490 cm ³	2V	136 kW	(185 PS)	17:1	112,00 mm
MIDR 06.02.12 D	10.1982 → 12.2001	D (AN)	6	5490 cm ³	2V	127-134 kW	(173-182 PS)	17:1	112,00 mm
MIDR 06.02.26	09.1987 →	D (LA)	6	6177 cm ³	2V	159 kW	(216 PS)	17,5:1	126,00 mm
Euro 0									
MIDR 06.02.26 D	10.1989 → 01.2000	D (LA)	6	6177 cm ³	2V	159-166 kW	(216-226 PS)	17,5:1	126,00 mm
Euro 1									
MIDR 06.02.26 H	06.1989 → 06.1993	D (LA)	6	6177 cm ³	2V	144 kW	(196 PS)	18:1	126,00 mm
MIDR 06.02.26 Q	06.1989 → 06.1993	D (AN)	6	6177 cm ³	2V	137 kW	(186 PS)		126,00 mm
MIDR 06.02.26 U	11.1992 → 01.2000	D (AN)	6	6177 cm ³	2V	110 kW	(150 PS)	17,5:1	126,00 mm
Euro 1									
MIDR 06.02.26 V	11.1992 → 01.2000	D (LA)	6	6177 cm ³	2V	129 kW	(175 PS)	18:1	126,00 mm
Euro 2									
MIDR 06.02.26 W	05.1992 → 12.2000	D (LA)	6	6177 cm ³	2V	151 kW	(205 PS)	17,5:1	126,00 mm
Euro 1									
MIDR 06.02.26 X	01.1990 → 10.1998	D (LA)	6	6177 cm ³	2V	166 kW	(226 PS)	18:1	126,00 mm
Euro 1									
MIDS 06.02.12	11.1983 →	D (A)	6	5490 cm ³	2V	107 kW	(145 PS)		112,00 mm
MIDS 06.02.12 B	01.1983 → 12.2001	D (AN)	6	5490 cm ³	2V	113-117 kW	(154-159 PS)	17:1	112,00 mm
MIDS 06.02.12 C	06.1989 → 09.1993	D (AN)	6	5490 cm ³	2V	97-103 kW	(132-140 PS)	17:1	112,00 mm
MIDS 06.02.12 D	01.1994 → 05.1996	D (AN)	6	5490 cm ³	2V	110 kW	(150 PS)	17:1	112,00 mm
720.12	03.1976 → 01.1986	D (AN)	4	3596 cm ³	2V	72 kW	(98 PS)	17:1	110,00 mm
797	05.1980 → 06.1991	D (AN)	6	5489 cm ³	2V	89-100 kW	(121-136 PS)	17,5:1	112,00 mm
798	06.1980 → 06.1984	D (A)	6	5489 cm ³	2V	110-113 kW	(150-154 PS)	17:1	112,10 mm
720	10.1979 → 06.1991	D (AN)	4	3596 cm ³	2V	65-67 kW	(88-91 PS)	17,5:1	110,00 mm
797.20	01.1983 → 06.1991	D (AN)	6	5496 cm ³	2V	89-113 kW	(121-154 PS)	17,5:1	112,10 mm
797-21	06.1985 → 09.1990	D (AN)	6	5496 cm ³	2V	76 kW	(103 PS)	17,5:1	112,10 mm
797-23	05.1983 → 06.1991	D (AN)	6	5496 cm ³	2V	96 kW	(130 PS)	17:1	112,10 mm
797-26	01.1975 → 10.1990	D (AN)	6	5496 cm ³	2V	98 kW	(133 PS)	17,5:1	112,10 mm
798-10	01.1975 → 10.1990	D (A)	6	5496 cm ³	2V	82-113 kW	(111-154 PS)	17:1	112,10 mm
798-20	01.1975 → 10.1991	D (A)	6	5496 cm ³	2V	113 kW	(154 PS)	17:1	112,10 mm

92 498 6..., 92 499 7..., 94 724 7..

	IN [2]	45,8 x 10 x 140,2	A/S - Cr -	- 30° - -	1 - III	50 00 676 249 50 00 676 255	597673
	EX [2]	38,9 x 10 x 140,3	A - Cr -	- 45° - -	1 - III	50 00 044 581 50 00 676 243 50 00 676 254 50 00 676 257	425351
	[50]	Ø 10 mm					KK-10H
	IN [4]	16,00 x 10 x 86,0	G1			00 33 123 074	81-59000
	EX [4]	16,00 x 10 x 67,0	G1			00 33 123 076	81-59001



Reference



15 102

MIDR 04.02.26 A/4 Euro 2	05.1996 → 12.2001	D	(LA)	4	4118 cm ³	2V	100 kW	(136 PS)	17,5:1	126,00 mm
MIDR 04.02.26 B/4 Euro 2	05.1996 → 04.2006	D	(LA)	4	4118 cm ³	2V	110 kW	(150 PS)	17,5:1	126,00 mm
MIDR 06.02.26 DU	06.1991 →	D	(AN)	6	6177 cm ³	2V	110-166 kW	(150-226 PS)		126,00 mm
MIDR 06.02.26 Y	05.1989 →	D	(AN)	6	6177 cm ³	2V	184 kW	(250 PS)		126,00 mm
MIDR 06.02.26 Y41 Euro 2	04.1996 → 09.2001	D	(LA)	6	6177 cm ³	2V	184 kW	(250 PS)	18:1	126,00 mm

94 724 7..

	IN [2]	46,5 x 10 x 140,2	A/S - Cr -	- 30° -	-	1 - III	50 00 667 762 50 00 676 035 50 10 450 589 50 10 553 049	59108
	EX [2]	40,5 x 10 x 140,2	A/S - Cr -	- 45° -	-	1 - III	50 00 667 939 50 00 676 258 50 10 450 590	59109
	[50]	Ø 10 mm						KK-10H

16 102

DCi 4 B J01 Euro 3	02.2000 → 04.2006	D	(A)	4	4118 cm ³	2V	112 kW	(150 PS)	17:1	126,00 mm
DCi 4 C J01 Euro 3	07.2001 → 04.2006	D	(A)	4	4118 cm ³	2V	128 kW	(174 PS)		126,00 mm
DCi 6 AC J01 Euro 3	01.2001 →	D	(LA)	6	6177 cm ³	2V	195 kW	(265 PS)	16,5:1	126,00 mm
DCi 6 W J01 Euro 3	11.2000 →	D	(LA)	6	6177 cm ³	2V	158 kW	(215 PS)	16,5:1	126,00 mm

	IN [2]	46,6 x 10 x 140,2	A/S - Cr -	- 30° -	VS -	1 - III	50 10 450 309	48304
	EX [2]	40,6 x 10 x 140,2	RA/S- Cr -	- 45° -	-	1 - III	50 10 553 312	48305
	[50]	Ø 10 mm						KK-10H

17 107,95

V 8.510	01.1972 → 03.1980	D	(A)	8	8360 cm ³	2V	132 kW	(180 PS)	16,5:1	114,20 mm
----------------	-------------------	---	-----	---	----------------------	----	--------	----------	--------	-----------

	IN [2]	45,2 x 9,5 x 139,5	A/S - Cr -	- 45° -	-	1 - III		105-35613
	EX [2]	38,9 x 9,5 x 139,8	A - Cr -	- 45° -	-	1 -		105-35614

18 108

D 0846 HM 42 U	06.1980 → 12.1994	D	(AN)	6	7030 cm ³	2V	118 kW	(160 PS)	18:1	128,00 mm
-----------------------	-------------------	---	------	---	----------------------	----	--------	----------	------	-----------

92 666 6..

	IN [1]	52,0 x 11 x 155,1	S - Cr -	- 45° -	Y -	1 - III	50 00 816 454	2520
	EX [1]	43,1 x 11 x 155,5	A/S - Cr -	- 45° -	-	1 - III	50 00 816 455	2504
	[50]	Ø 11 mm						KK-11H
	IN [6]	18,00 x 11 x 81,0	G1					81-2517
	EX [6]	18,00 x 11 x 70,0	G1					81-2515

**TRW**

EngineComponents

RENAULT TRUCKS (RVI)

Reference

**TRW**
EngineComponents**19** **120**

MID 06.20.30	09.1974 →	D (AN)	6	8820 cm³	2V	141 kW	(192 PS)	17:1	130,00 mm
MID 06.20.30 G	09.1978 → 06.1991	D (AN)	6	8820 cm³	2V	141 kW	(192 PS)	17:1	130,00 mm
MIDR 06.20.30	1981 → 1986	D (LA)	6	8820 cm³	2V	194 kW	(264 PS)	15:1	130,00 mm
MIDR 06.20.45 A/2	01.1982 →	D (LA)	6	9839 cm³	2V	202-206 kW	(275-280 PS)	17:1	145,00 mm
MIDR 06.20.45 BC		D (LA)	6	9839 cm³	2V	195 kW	(265 PS)		145,00 mm
MIDR 06.20.45 B/3	09.1991 → 10.1996	D (LA)	6	9839 cm³	2V	195 kW	(265 PS)	18:1	145,00 mm
Euro 1									
MIDR 06.20.45 C/4	02.1996 → 12.2002	D (LA)	6	9839 cm³	2V	188 kW	(256 PS)	17:1	145,00 mm
Euro 2									
MIDR 06.20.45 D	10.1982 → 12.1996	D (LA)	6	9839 cm³	2V	210-222 kW	(286-302 PS)	18:1	145,00 mm
Euro 1									
MIDR 06.20.45 DD	02.1990 → 10.1996	D (LA)	6	9839 cm³	2V	222 kW	(302 PS)	18:1	145,00 mm
MIDR 06.20.45 D/3	12.1990 → 10.1998	D (LA)	6	9839 cm³	2V	222 kW	(302 PS)	18:1	145,00 mm
Euro 1									
MIDR 06.20.45 E	05.1988 → 10.1998	D (LA)	6	9839 cm³	2V	236-249 kW	(321-339 PS)	18:1	145,00 mm
Euro 1									
MIDR 06.20.45 E/2	02.1990 → 03.1993	D (LA)	6	9839 cm³	2V	249 kW	(339 PS)	18:1	145,00 mm
Euro 1									
MIDR 06.20.45 E/3	02.1992 → 12.1999	D (LA)	6	9839 cm³	2V	249 kW	(339 PS)	18:1	145,00 mm
Euro 1									
MIDR 06.20.45 H	05.1988 → 03.1993	D (LA)	6	9839 cm³	2V	240 kW	(326 PS)		145,00 mm
MIDS 06.20.30	01.1976 → 09.1987	D (A)	6	8820 cm³	2V	158 kW	(215 PS)		130,00 mm
MIDS 06.20.30 N	1977 →	D (A)	6	8820 cm³	2V	153-169 kW	(215-230 PS)	15/17:1	130,00 mm
MIDS 06.20.30 N1	11.1983 → 02.1990	D (LA)	6	8820 cm³	2V	135 kW	(184 PS)	17:1	130,00 mm
MIDS 06.20.30 P	03.1984 → 06.1993	D (LA)	6	8820 cm³	2V	169-177 kW	(230-240 PS)	17:1	130,00 mm
MIDS 06.20.45	06.1984 → 06.1993	D (LA)	6	9839 cm³	2V	152-169 kW	(207-230 PS)	17:1	145,00 mm
MIDS 06.20.45 D	11.1986 → 12.2003	D (LA)	6	9839 cm³	2V	129 kW	(175 PS)	17:1	145,00 mm
MIDS 06.20.45 J/3	03.1991 → 10.1996	D (LA)	6	9839 cm³	2V	161-168 kW	(219-228 PS)		145,00 mm
Euro 1									
MIP 06.20.30	09.1974 →	D (AN)	6	8820 cm³	2V	135-158 kW	(184-215 PS)	17:1	130,00 mm
MIPR 06.20.45	1995 →	D (LA)	6	9839 cm³	2V	222-265 kW	(302-360 PS)	17:1	145,00 mm
MIPR 06.20.45 E		D (LA)	6	9839 cm³	2V	222-265 kW	(302-360 PS)	17:1	145,00 mm
MIPS 06.20.30	08.1982 → 11.1990	D (AN)	6	8820 cm³	2V	166 kW	(222 PS)		130,00 mm
MIPS 06.20.45	06.1984 → 06.1992	D (LA)	6	9839 cm³	2V	137 kW	(186 PS)	17:1	145,00 mm

90 747 7..., 91 681 7..., 91 683 7..., 93 394 7..., 93 932 7..., 99 844 6..., 99 943 6..

R

IN [2]

54,0 x 9 x 163,3

A/S - Cr -

- 30° - -

1 - III

50 00 658 408

598142

50 00 663 520

50 00 663 529

50 00 663 530

50 00 681 141

50 10 295 349

EX [2]

48,0 x 9 x 163,1

A/S - Cr -

- 45° - -

1 - III

50 00 153 692

598141

50 00 153 693

50 00 663 464

50 00 663 469

50 00 663 471

50 00 663 527

50 00 663 528

50 00 670 121

50 00 670 206

50 00 670 730



IN/EX [6]

17,05 x 9.06 x 78,0

G1

00 00 157 983

81-59002**20** **120**

MIDR 06.20.45	11.1985 →	D (LA)	6	9839 cm³	2V	188-249 kW	(298-338 PS)		145,00 mm
MIDR 06.20.45 C	10.1982 → 03.1987	D (LA)	6	9839 cm³	2V	210 kW	(285 PS)	16:1	145,00 mm
MIDR 06.20.45 D/41	02.1996 → 12.2002	D (LA)	6	9839 cm³	2V	219 kW	(298 PS)	18:1	145,00 mm
Euro 2									
MIDS 06.20.45 B	10.1982 → 06.1993	D (LA)	6	9839 cm³	2V	192-202 kW	(261-275 PS)	17:1	145,00 mm


93 932 7..., 99 844 6..., 99 943 6..

Fortsetzung nächste Seite / continued on next page / suite page suivante / continuación página próxima / Продолжение на следующей странице



						Reference	EngineComponents
IN [2]	54,0 x 9 x 163,3	A/S - Cr -	- 30° -	-	1 - III	50 00 658 408 50 00 663 520 50 00 663 529 50 00 663 530 50 00 681 141 50 10 295 349	598142
EX [2]	48,0 x 9 x 163,1	A/S - Cr -	- 45° -	-	1 - III	50 00 153 692 50 00 153 693 50 00 663 464 50 00 663 469 50 00 663 471 50 00 663 527 50 00 663 528 50 00 670 121 50 00 670 206 50 00 670 730	598141
IN/EX [6] IN [6] EX [6]	17,05 x 9.06 x 78,0 17,04 x 9.06 x 78,0 17,53 x 9.06 x 78,0	G1 G1 G1				00 00 157 983 50 10 359 098 00 00 157 984 50 10 359 099	81-59002 81-59003 81-59005

21



MIDR 06.23.56 A/41	02.1996 →	D (LA)	6	11122 cm ³	2V	280 kW	(381 PS)	17:1	156,00 mm
Euro 2									
MIDR 06.23.56 B/41	04.1996 → 12.2002	D (LA)	6	11122 cm ³	2V	288 kW	(392 PS)	17:1	156,00 mm
Euro 2									
MIDR 06.23.56 B43	09.1998 →	D (LA)	6	11122 cm ³	4V	303 kW	(412 PS)	17:1	156,00 mm
Euro 3									
40 074 6..									

IN [2]	54,0 x 9 x 163,3	A/S - Cr -	- 30° -	-	1 - III	50 00 658 408 50 00 663 520 50 00 663 529 50 00 663 530 50 00 681 141 50 10 295 349	598142
EX [2]	48,0 x 9 x 163,1	A/S - Cr -	- 45° -	-	1 - III	50 00 153 692 50 00 153 693 50 00 663 464 50 00 663 469 50 00 663 471 50 00 663 527 50 00 663 528 50 00 670 121 50 00 670 206 50 00 670 730	598141
IN/EX [6] IN [6] EX [6]	17,05 x 9.06 x 78,0 17,04 x 9.06 x 78,0 17,53 x 9.06 x 78,0	G1 G1 G1				00 00 157 983 50 10 359 098 00 00 157 984 50 10 359 099	81-59002 81-59003 81-59005

22



DCi 11 B J01	→ 04.2006	D (LA)	6	11122 cm ³	4V	112 kW	(152 PS)	17:1	153,00 mm
DCi 11 C + J01	01.2001 →	D (LA)	6	11122 cm ³	4V	309 kW	(420 PS)	17:1	153,00 mm
Euro 3									
DCi 11 E + J01	01.2000 →	D (LA)	6	11122 cm ³	4V	272 kW	(370 PS)	17:1	153,00 mm
Euro 3									
DCi 11 G + J01	01.2000 →	D (LA)	6	11122 cm ³	4V	236 kW	(320 PS)	17:1	153,00 mm
Euro 3									

IN [2] EX [2]	42,0 x 8 x 185,5 38,0 x 8 x 185,5	A/S - Cr - RA/S- Cr -	- 30° - VS - - 45° - VS -	1 - III 1 - III	50 10 359 501 50 10 412 164	48306 48307
[50]	Ø 8 mm					KK-8H

**TRW**

EngineComponents

RENAULT TRUCKS (RVI)

Reference

**TRW**
EngineComponents**23** **123**

DXi 11 370 Euro 4/5	03.2005 →	D (LA)	6	10800 cm ³	4V	272 kW	(370 PS)	18:1	152,00 mm
DXi 11 410 Euro 4/5		D (LA)	6	10800 cm ³	4V	302 kW	(410 PS)	18:1	152,00 mm
DXi 11 450 Euro 4/5		D (LA)	6	10800 cm ³	4V	331 kW	(450 PS)	18:1	152,00 mm

IN [2]
EX [2]
40,0 x 8 x 192,0
38,0 x 8 x 192,7RA/S- Cr -
RA/S- Cr -- 30° - VS -
- 30° - VS -22 - III
22 - III**48313**
48314 [50]
Ø 8 mm**MK-8H**IN/EX [6]
15,00 x 8.01 x 83,4

G2

81-47119 **24** **124**

MIDR 06.24.65 AB	02.1996 →	D (LA)	6	11956 cm ³	2V	287 kW	(390 PS)		165,00 mm
Euro 2									
MIDR 06.24.65 A42	02.1996 →	D (LA)	6	11956 cm ³	2V	287 kW	(390 PS)	15,3:1	165,00 mm
Euro 2									
MIDR 06.24.65 B42	09.1996 → 05.2000	D (LA)	6	11956 cm ³	4V	316 kW	(430 PS)	15,3:1	165,00 mm
Euro 2									
MIDR 06.24.65 C42	11.1996 → 05.2000	D (LA)	6	11956 cm ³	2V	346 kW	(471 PS)	15,3:1	165,00 mm
Euro 2									

IN/EX [6]
20,04 x 12.03 x 105,0

G1

50 10 248 411

81-59004**25** **131**

DXi 12 440 Euro 3	03.2005 →	D (LA)	6	12100 cm ³	4V	324 kW	(440 PS)	18:1	150,00 mm
DXi 12 480 Euro 3	03.2005 →	D (LA)	6	12100 cm ³	4V	353 kW	(480 PS)	18:1	150,00 mm

IN/EX [6]
15,00 x 8.01 x 83,4

G2

81-47119 **26** **131**

DXi 13 460 Euro 4/5		D (LA)	6	12800 cm ³	4V	338 kW	(460 PS)	18:1	158,00 mm
DXi 13 500 Euro 4/5		D (LA)	6	12800 cm ³	4V	368 kW	(500 PS)	18:1	158,00 mm

IN [2]
EX [2]
42,0 x 8 x 192,0
40,0 x 8 x 191,7RA/S- Cr -
NB/S- Cr -- 24° - VS -
- 39° - VS -22 - III
22 - III**48315**
48316[50]
Ø 8 mm**MK-8H****27** **135**

M 635.40	1964 →	D (AN)	6	12024 cm ³	2V	177-224 kW	(240-306 PS)		140,00 mm
MD 063.540	1973 → 06.1979	D (AN)	6	12024 cm ³	2V				140,00 mm
MDR 06.35.40	01.1977 → 09.1979	D (LA)	6	12024 cm ³	2V	178 kW	(250 PS)	15:1	140,00 mm
MDS 06.35.40	01.1973 →	D (LA)	6	12024 cm ³	2V	177-208 kW	(241-283 PS)		140,00 mm
MIDR 06.35.40	1979 →	D (LA)	6	12024 cm ³	2V	226 kW	(307 PS)	15:1	140,00 mm
MIDS 06.35.40	04.1985 → 10.1992	D (A)	6	12024 cm ³	2V	206 kW	(280 PS)	15:1	140,00 mm
MIDS 06.35.40 B		D (A)	6	12024 cm ³	2V	225 kW	(306 PS)		140,00 mm

93 504 7.., 93 987 7..

IN [1]
EX [1]
60,0 x 12 x 189,3
54,0 x 12 x 189,3A - Cr -
A - Cr -- 30° -
- 45° -1 - III
1 - III50 00 659 284
50 00 659 741**598349**
595915**28** **135**

MIDR 06.35.40 H	01.1986 → 10.1996	D (LA)	6	12024 cm ³	2V	259-276 kW	(352-375 PS)	16:1	140,00 mm
------------------------	-------------------	--------	---	-----------------------	----	------------	--------------	------	-----------

90 947 7..

Fortsetzung nächste Seite / continued on next page / suite page suivante / continuación página próxima / Продолжение на следующей странице



						Reference	
	IN [1] IN [1]	60,0 x 12 x 189,3 60,0 x 12 x 204,4	A - Cr - RA/S- Cr -	- 30° - - 30° -	1 - III 1 - III	50 00 659 284 50 00 678 873 50 10 248 978	598349 59121
	EX [1]	52,0 x 12 x 205,1	RA/S- Cr -	- 30° -	1 - III	50 00 678 652 50 10 248 979	59115
	EX [1]	54,0 x 12 x 189,3	A - Cr -	- 45° -	1 - III	50 00 659 741	595915
	[50]	Ø 12 mm					KK-12H
	IN/EX [6]	20,04 x 12.03 x 105,0	G1			50 10 248 411	81-59004

29



135

MIDR 06.35.40 G 03.1986 → 01.1993 D (LA) 6 12024 cm³ 2V 243-259 kW (330-352 PS) 15:1 140,00 mm
90 947 7..

	IN [1] EX [1]	60,0 x 12 x 189,3 54,0 x 12 x 189,3	A - Cr - A - Cr -	- 30° - - 45° -	1 - III 1 - III	50 00 659 284 50 00 659 741	598349 595915
	IN/EX [6]	20,04 x 12.03 x 105,0	G1			50 10 248 411	81-59004

30



135

MIDR 06.35.40 J1 09.1991 → 06.1996 D (LA) 6 12024 cm³ 2V 305-314 kW (415-427 PS) 16,5:1 140,00 mm
Euro 1
MIDR 06.35.40 J3 10.1992 → 12.1996 D (LA) 6 12024 cm³ 2V 305 kW (415 PS) 18:1 140,00 mm
Euro 1
MIDR 06.35.40 L1 12.1991 → 10.1996 D (LA) 6 12024 cm³ 2V 283 kW (385 PS) 16,5:1 140,00 mm
MIDR 06.35.40 M3 10.1992 → 10.1998 D (LA) 6 12024 cm³ 2V 235 kW (320 PS) 18:1 140,00 mm
Euro 1
MIDR 06.35.40 N/3 02.1992 → 10.1998 D (LA) 6 12024 cm³ 2V 283 kW (385 PS) 18:1 140,00 mm
Euro 1
94 510 7.., 94 511 7..

	IN [1] EX [1]	60,0 x 12 x 204,4 52,0 x 12 x 205,1	RA/S- Cr - RA/S- Cr -	- 30° - - 30° -	1 - III 1 - III	50 00 678 873 50 10 248 978 50 00 678 652 50 10 248 979	59121 59115
	[50]	Ø 12 mm					KK-12H
	IN/EX [6]	20,04 x 12.03 x 105,0	G1			50 10 248 411	81-59004

R